


Series Spec Sheet

SOCIAL DISTANCING

The social distancing signs are the best solution to remind citizens to follow COVID-19 rules. These illuminated signs will provide a visual reminder to ensure that employees and customers are following government guidelines, as well as providing a safer environment.

The social distancing fibers are available with two Stanpro's well-known products: RMS and RMXL. These modern signs are rigid, durable and lightweight and will adapt very well to decor with their choices of colors.



OPTIONS AND SPECIFICATIONS

• Options

Social distancing signs can be combined with additional options as applications require. The AC Flasher option will cause the sign to illuminate and then darken at a rate of about once per second. For social distancing signs, the line cord option is highly recommended

• Light source

Social distancing signs utilize an LED light source.

• Overview

The social distancing signs are available to replace the legend of two of Stanpro signs: RMS and RMXL

Please add the suffix OP + the chosen sign number to the catalogue number. Contact your Stanpro representative for any other special wording requirement.

SOCIAL DISTANCING EXAMPLES

- MANDATORY MASK
- SOCIAL DISTANCE LOGO (2M/6')
- SOCIAL DISTANCE LOGO (1M/3')



**RMS
STEEL
NBC2015 Compliant**

The clean lines of the RMS series of commercial steel signs present a fully modern appearance. The steel provides for a rigid, durable and lightweight sign. Available in AC only, AC/DC and internally self-powered versions.



ORDERING GUIDE

RMS	— NDC /			
Series	Nbr of faces	Color	DC Volts (VDC)	Options
RMS	1 - Single face 2 - Double face	WH - White (standard) BK - Black GY - Grey SP - Custom color (please specify)	NDC - AC only	OP334 - 2M/6' social distancing OP335 - 1M/3' social distancing OP338 - Mandatory mask LC - Line cord (separate line order)

LINE CORD

LC-SIGN-WHT	4ft line cord, white
LC-SIGN-BLK	8ft line cord, black

Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.

RMXL
EXTRUDED ALUMINUM
NBC2015 Compliant
120/277/347 VAC Input

The clean lines of the RMXL series of commercial extruded aluminum signs present a fully modern appearance. The extruded aluminum provides for a rigid, durable and lightweight sign. Available in AC only, AC/DC and internally self-powered versions.




ORDERING GUIDE

RMXL			NDC	/
Series	Nbr of faces	Color	DC Voltage (VDC)	Options
RMXL	1 - Single face 2 - Double face	WH - White (standard) BK - Black GY - Grey BA - Brushed aluminum SP - Custom color (please specify)	NDC - AC only	OP334 - 2M/6' social distancing OP335 - 1M/3' social distancing OP338 - Mandatory mask LC - Line cord (separate line order)

LINE CORD

LC-SIGN-WHT	4ft line cord, white
LC-SIGN-BLK	8ft line cord, black

DIMENSIONS



Data is based upon tests performed in a controlled environment. Actual performance can vary depending on operating conditions. All products are subject to change or may be discontinued any time without notice.