

LED PL Lamps - Ballast Compatibility List



LED PL LAMPS - 3 CCT SELECTABLE

Order code	Description
69386	PLVL/S2/9W/3CCT/4P/ND/STD
69387	PLH/S2/9W/3CCT/4P/ND/STD

Standard: 120/277 V

Ballast Description			1 Lamp Load		2 Lamps Load		Remark	
Brand	Order code	Number of lamps	Input Voltage				Dimming	Ballast version
			120 V	277 V	120 V	277 V		
Standard	10444 ED1321-UV-BS	2					/	/
	10469 E23640-120-SL GLB	2					/	/
	59591 E528-120V/STD/EOL	2					/	/
	31003 E21326-120-277-SL GLB / E1321-UV-S	2					/	/
	31005 E22150-120-277-SL GLB / E2150-UV-S	2					/	/
	31276 E21338-UV-TDE FLX	2					/	/
	31278 E22142-UV-TDE FLX	2					/	/
	31526 E22642-UV-A-TDE FLX	2					/	/
	10446 ED22150-120-277-BLS GLB / ED2150-UV-BS	2					/	/
	10445 ED22150-120-277-SL GLB	2					/	/

Standard: 277/347 V

Ballast Description			1 Lamp Load		2 Lamps Load		Remark	
Brand	Order code	Number of lamps	Input Voltage				Dimming	Ballast version
			277 V	347 V	277 V	347 V		
Standard	31277 E21338-347-TDE FLX	2					/	/
	10470 E23640-347-SL GLB	2					/	/
	31006 E2150-347S	2					/	/
	31279 E22142-347-TDE FLX	2					/	/
	31527 E22642-347-A-TDE-FLX	2					/	/
	10448 ED2150-347S	2					/	/
	10449 ED22150-347-BLS GLB	2					/	/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

To validate compatibility with ballasts that are not on this list, please contact your sales representative

compatible non-compatible N/A

LED PL Lamps - Ballast Compatibility List



Other brands: 120/277 V (1/2)

Ballast Description			1 Lamp Load		2 Lamps Load		Remark	
Brand	Order code	Number of lamps	Input Voltage				Dimming	Ballast version
			120 V	277 V	120 V	277 V		
Advance	ICF-2S13-H1-LD	2					/	REV A
	ICF-2S18-H1-LD	2					/	REV A/F
	ICF-2S26-H1-LD	2					/	REV B/E
	ICF-2S13-M1-BS	2					/	REV A/F
	ICF-2S18-M1-BS	2					/	REV A/D
	ICF-2S42-M2-LD	2					/	REV B
	IZT-2T42-M5-LD	2					Dimming	REV F
	REZ-2Q26-M2-BS	2					Dimming	REV C
	REZ-2Q26-M2-LD	2					Dimming	REV C
	REZ-2T42-M3-BS	2					Dimming	REV D
	RMB-1P13-S1	1					/	/
	VEZ-1T42-M2-LD	1					Dimming	REV C
	VEZ-2Q26-M2-LD	2					Dimming	REV C
Antron	CSD-UV18PS	2					/	/
Damar	20091D	2					/	/
Deltek	80208 DBC226MVRN	2					/	/
	80204 DBC242MVRN	2					/	/
Easeic	FL 2x18/100-277V TCD PRO	2					/	/
Fulham	WH2-120-C	2					/	/
	WH33-120-C	2					/	/
	RHA-UNV-226-C	2					/	/
	RHA-UNV-242-C	2					/	/
	NPY-120-226-CFL	2					/	/
Fusion	FB218CFLMV	2					/	/
	FB226CFLMV	2					/	/
	FB242CFLMV	2					/	/
GE	GEC218-MVPS-3W	2					/	/
	GEC226-MVPS-3W	2					/	/
	GEC242-MVPS-3W	2					/	/
Halco	EP2CF18PS/MV/DC/K	2					/	/
	EP2CF26PS/MV/DC/K	2					/	/
	EP2CF42PS/MV/DC/K	2					/	/
Howard	EP2/13CF/MV/K2	2					/	/
	EP2/18CF/MV/K2	2					/	/
	EP2/26CF/MV/K2	2					/	/
Keystone	KTEB-126-1-TP	1					/	/
	KTEB-126-1-TP-SC/HB	1					/	/
	KTEB-218-UV-RS-DW	2					/	/
	KTEB-226-UV-RS-DW	2					/	/
	KTEB-242-UV-RS-DW	2					/	/
	KTEB-218-UV-PS-DW	2					/	/
	KTEB-226-UV-PS-DW	2					/	/
	KTEB-242-UV-PS-DW	2					/	/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible

non-compatible

N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED PL Lamps - Ballast Compatibility List



Other brands: 120/277 V (2/2)

Ballast Description			1 Lamp Load		2 Lamps Load		Remark	
Brand	Order code	Number of lamps	Input Voltage				Dimming	Ballast version
			120 V	277 V	120 V	277 V		
Lumapro	4KGJ7 EB-213PRS-U	2					/	/
	4KGJ8 EB-218PRS-U	2					/	/
	16X954 CSD-UV18PBX	2					/	/
	16x959 CSD-UV18P/BMKIT	2					/	/
Osram	QTP 1/2x13CF/UNV DM	2					/	/
	QTP 1/2x18CF/UNV DM	2					/	/
	QTP 2x26CF/UNV DM	2					/	/
	QTP 2x26CF/UNV DM PEM	2					/	/
	QTP 2x26CF/UNV QS	2					/	/
	QTP 2x26/32/42CF/UNV DM	2					/	/
	QTP 2x26/32/42CF/UNV DM PEM	2					/	/
Robertson	RED1L10-120	1					/	/
	RS0126CQ120	1					/	/
Tospo	TP 2/26 PS UV	2					/	/
Topaz	B2642UNV/ME-TPZ	2					/	/
Universal	C213UNVME	2					/	/
	C218UNVME	2					/	/
	C2642UNVME	2					/	/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

To validate compatibility with ballasts that are not on this list, please contact your sales representative

compatible

non-compatible

N/A

LED PL Lamps - Ballast Compatibility List



Other brands: 277/347 V

Ballast Description			1 Lamp Load		2 Lamps Load		Remark	
Brand	Order code	Number of lamps	Input Voltage				Dimming	Ballast version
			277 V	347 V	277 V	347 V		
Fusion	FB218347CFLE	2					/	/
	FB226347CFLE	2					/	/
	FB242347CFLE	2					/	/
Universal	C213/347ME	2					/	/
	C218/347ME	2					/	/
	C242/347ME	2					/	/
	C2642/347ME	2					/	/

Emergency Ballast		Compatible
Brand	Part Number	
Keystone	KT-EMRG-500	
	KT-EMRG-1300-T5	
	KT-EMRG-1400-SL	
LOTA	I-320	
	ISL-540	
Philips	Dobine B50	
	Dobine ELI-S-20	
	Dobine LP600	

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

To validate compatibility with ballasts that are not on this list, please contact your sales representative

compatible

non-compatible

N/A

LED PL Lamps - Ballast Compatibility List



LED PLL LAMPS - 3 CCT SELECTABLE

Order Code	Description
69382	PLL/S2/19W/3CCT/2G11/ND/STD

Standard: 120/277 V

Ballast Description			1 Lamp Load		2 Lamp Load		3 Lamp Load		4 Lamp Load		Remark	
Brand	Order code	Number of lamps	Input Voltage								Dimming	Ballast version
			120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V		
Standard	31526 E22642-120-277-A-TDE FLX	2									/	/
	31278 E22142-120-277-TDE FLX	2									/	/
	10445 ED22150-120-277-SL GLB	2									/	/
	10444 ED1321-UV-BS	2									/	/
	10469 E23640-120-SL GLB	2									/	/
	59591 E528-120V/STD/EOL	2									/	/
	63025 E254T5HOPS120-277/N/XTRM	2									/	/
	57641 E154T5PS120-277/N/HO	1									/	/
	63027 E454T5HOPS120-277/N/XTRM	4									/	/

Standard: 347/480 V

Ballast Description			1 Lamp Load		2 Lamp Load		3 Lamp Load		4 Lamp Load		Remark	
Brand	Order code	Number of lamps	Input Voltage								Dimming	Ballast version
			347 V	480 V	347 V	480 V	347 V	480 V	347 V	480 V		
Standard	31279 E22142-347-TDE FLX	2									/	/
	31277 E21338-347-TDE FLX	2									/	/
	31527 E2642-347-A-TDX-FLX	2									/	/
	10470 E23640-347-SL GLB	2									/	/
	10449 ED22150-347-BLS GLB	2									/	/
	63026 E254T5HOPS347/N/XTRM	2									/	/
	63028 E454T5HOPS347/N/XTRM	4									/	/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

To validate compatibility with ballasts that are not on this list, please contact your sales representative

compatible

non-compatible

N/A

LED PL Lamps - Ballast Compatibility List



Other brands: 120/277 V

Ballast Description			1 Lamp Load		2 Lamp Load		3 Lamp Load		4 Lamp Load		Remark	
Brand	Order code	Number of lamps	Input Voltage								Dimming	Ballast version
			120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V		
Advance	ICN-2S54	2									/	REV B
	ICN-2S54-T	2									/	REV B
	ICN-2S54-90C-N	2									/	REV A/B
	IOP-2PSP54-SC	2									/	REV E
	IZT-2S54-D	2									Gradation	REV C
	ICN-4S54-90C-2LS-G	4									/	REV A/B/F
	IOP-4PSP54-2LS-G	4									/	REV H
Espen	VE254MVHRP	2									/	/
Fulham	RHA-UNV-254-LT5	2									/	/
GR	GE254MVPS-D	2									/	/
	GE254MVPS90-A	2									/	/
HEP	SI 254-58 UNI	2									/	/
	SD 254-58 UNI	2									Gradation	/
Huafeng	ENP-T5-54-S2MC	2									/	/
	ENP-T5-54-S4LC	4									/	/
Keystone	KTEB-254HO-UV-PS/A	2									/	/
	KTEB-254HO-UV-PS-SL	2									/	Version D2
	KTEB-454HO-UV-PS	4									/	Version D3
Osram	QT 2x54/120PHO-DIM	2									Gradation	/
	QHE 4x54T5HO/UNV PSN HT SCL [DOE]	4									/	/
	QTP 4x54T5HO/UNV PSN HT W	4									/	/
Pacific	EB-254PRS-U	2									/	/
Sunpark	U-2/54T5HO	2									/	/
Ultrasave	ER254120MHT-W	2									/	/
Universal	B254PUNV-D	2									/	REV A

Other brands: 347/480 V

Ballast Description			1 Lamp Load		2 Lamp Load		3 Lamp Load		4 Lamp Load		Remark	
Brand	Order code	Number of lamps	Input Voltage								Dimming	Ballast version
			347 V	480 V	347 V	480 V	347 V	480 V	347 V	480 V		
Advance	HCN-2S54-90C-WL	2									/	REV C/E/G
	HCN-4S54-90C-2LS-G	4									/	REV A
Fusion	FB454347T5E	4									/	/
GE	GE454PS347/480-F	4									/	/
Osram	QHE 2x54T5HO/347-480PSN HT	2									/	/
	QHE 4x54T5HO/347-480PSN HT SCL	4									/	/

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

To validate compatibility with ballasts that are not on this list, please contact your sales representative

compatible

non-compatible

N/A