

LED REFLECTORS 3 & 5 CCT SELECTABLE

Standard's 3 & 5 CCT LED Reflector lamps offer a complete family of shapes and specs that provide the flexibility to create the perfect lighting for your application. High-quality LED technology allows for bright and even illumination, while the specialized reflector designs maximize the light output, making these lamps the ideal lighting solution for both residential and commercial spaces.



dimmable



enclosed
fixture



■ Color Selectable

Experience versatile lighting with these 3 & 5 CCT Reflector LED lamps. Providing the ability to not only customize the color temperature for a variety of applications, but they are also an ideal solution for reducing stocking inventory. A single SKU can now replace up to 3 or 5 individual lamps!

■ Customizable Lighting

Enjoy the ability to customize your lighting needs between five distinct color temperatures (three distinct color temperatures for the GU5.3). Whether it be bright and vibrant lighting for optimal productivity or a soft and tranquil setting to create a calm atmosphere for relaxation, the result is a comfortable ambiance that is conducive to the tasks you need to perform. The LED lamps can also be dimmed for additional ambiance and energy savings!

■ Versatile

With multiple reflector shapes to choose from, these 3 & 5 CCT selectable LED lamps are ideal for use in variety of luminaires such as track heads, recessed cans, cylinders, flood lights, and much more!

Variety of Color Temperatures

Choose the best color temperature for your application!



2 700 K

3 000 K

3 500 K

4 000 K

5 000 K



GU5.3
25°



GU10
25°



GU10
40°



PAR20



PAR30SN



PAR30LN



PAR38



PAR38



R20



BR30



BR40

Summary Specification Table

Order code	Description	Watts (W)	Base	Volts (VAC)	Color temp. (K)	CRI	Life (h)	Lumen output (lm)	Beam angle (°)	CBCP	Traditional equivalent (W)	Heat sink color	Case qty (master)
GU5.3													
70169	MR16/6W/3CCT/25/STD	6	GU5.3	12	2 700/3 000/4 000	80	25 000	510	25	1 400	50	White	48
70710	MR16/6W/3CCT/40/STD	6	GU5.3	12	2 700/3 000/4 000	80	25 000	517	25	880	50	White	48
GU10													
69729	GU10/6.5W/5CCT/25/STD	6.5	GU10	120	2 700/3 000/3 500/4 000/5 000	80	25 000	500	25	-	50	White	100
69626	GU10/6.5W/5CCT/40/STD	6.5	GU10	120	2 700/3 000/3 500/4 000/5 000	80	25 000	500	40	502	50	White	100
PAR20													
69641	P20/6.5W/5CCT/25/STD	6.5	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	500	25	1 800	50	White	24
69642	P20/6.5W/5CCT/40/STD	6.5	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	500	40	1 100	50	White	24
PAR30SN													
69643	P30S/11W/5CCT/25/STD	11	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	900	25	3 200	75	White	24
69644	P30S/11W/5CCT/40/STD	11	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	900	40	1 900	75	White	24
PAR30LN													
69645	P30L/11W/5CCT/25/STD	11	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	900	25	3 200	75	White	24
69646	P30L/11W/5CCT/40/STD	11	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	900	40	1 900	75	White	24
PAR38													
69647	P38/14W/5CCT/25/STD	14	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	1200	25	3 900	120	White	24
69648	P38/14W/5CCT/40/STD	14	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	1200	40	2 500	120	White	24
69654	P38/14W/5CCT/25/BK/STD	14	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	1200	25	3 900	120	Black	24
69655	P38/14W/5CCT/40/BK/STD	14	E26	120	2 700/3 000/3 500/4 000/5 000	90	25 000	1200	40	2 500	120	Black	24
R20													
69373	R20/6.5W/5CCT/STD	6.5	E26	120	2 700/3 000/3 500/4 000/5 000	80	25 000	525	105	180	50	White	24
BR30													
69374	BR30/8W/5CCT/STD	8	E26	120	2 700/3 000/3 500/4 000/5 000	80	25 000	650	105	235	75	White	24
BR40													
69375	BR40/12.5W/5CCT/STD	12.5	E26	120	2 700/3 000/3 500/4 000/5 000	80	25 000	1 075	105	390	100	White	24