

STANPRO

2026 CONTRACTOR GUIDE



ABOUT US

Stanpro is one of the largest Canadian lighting companies and continuously aspire to offer innovative lighting solutions to the North American market. It is the result of an official merge between Standard Products Inc. & Stanpro Lighting Systems on January 1st, 2020. The corporate name of the new entity is now STANDARD PRODUCTS INC. while our corporate brand is STANPRO™.

VISION

We will make our world better by manufacturing and promoting products that are a benefit to society and by being an integral and empathetic organization that cares for and supports our team members, business partners, and the community that we are a part of.

MISSION

Develop and manufacture products that advance life safety, drive energy efficiency, improve productivity, reduce waste, and support visually pleasing environments.



STANPRO





OUR VALUES

CORPORATE QUALITY POLICY

The management of Stanpro is committed to constantly provide products that meet or exceed the requirements and expectations of our customers while at the same time making the company successful. Stanpro's target is to maintain and improve the quality through programs that enable employees to do their job right the first time and use the best suppliers that share the same values.

Stanpro's management is dedicated to its customers, employees and safety.

Under the observance of the above, customer satisfaction is the company's main priority: we want to be our customers' preferred supplier.



WE WOW THE
CUSTOMER

- We care.
- We believe in partnering.
- We are easy to work with.

WE ACT LIKE IT IS
OUR OWN

We aim for success through passion, leadership, education, empowerment, responsibility and accountability.

WE TREAT
OTHERS THE WAY WE WANT
TO BE **TREATED**

We build a positive environment based on mutual respect and professionalism with our customers, colleagues and business partners.

WE WIN
AS A **TEAM**

We believe all positions are important and that our success is greater when we unite, partner and work together.

WE HAVE FUN

We strive to make work a good place to be; with a family atmosphere. We take the time to smile, joke and be positive while getting the job done.



ENERGY SAVINGS



**TRUSTED EXPERTS IN ENERGY
SAVINGS FOR + 10 YEARS**

LEARN HOW TO MAXIMIZE REBATES UP TO

90%

START YOUR ENERGY SAVINGS JOURNEY WITH A
PARTNER THAT CARES ABOUT YOUR WIN AS MUCH
AS YOU DO!

- 01** ANALYSIS OF CURRENT ENERGY USE 
- 02** LIGHTING RETROFIT PROPOSAL 
- 03** FREE LIGHTING LAYOUT 
- 04** REBATES WITH UTILITY COMPANY 
- 05** YOUR ENERGY AUDIT COST = 0\$ 

TAKE ADVANTAGE OF BENEFITS LINKED TO THIS APPROACH

-  Back on investment
-  Economy energy
-  Performance energy
-  Financial support
-  Reduction costs

NOTE: Rebate will vary based on tariffs and consumptions

INDOOR LIGHTING

CODE	SERIES	PICTURE	MODEL	VOLTS (V)	CCT (K)	SIZE	WATTS (W)	LUMENS (LM)
68972	TRADITIONAL LED CEILING LUMINAIRE		CLTD11-R20W-A-5CWH	120	2 700/3 000/3 500/ 4 000/5 000	11"	20	1 500
68973			CLTD14-R24W-A-5CWH			14"	24	1 800
70190	EDGE LIT 5 CCT LED CEILING LUMINAIRE		CLEG8-R15W-A-5CWH	120	2 700/3 000/3 500/ 4 000/5 000	8"	15	978
70191			CLEG12-R24W-A-5CWH			12"	24	1 664
70193			CLEG16-R30W-A-5CWH			16"	30	1 932
70195			CLEG24-R48W-A-5CWH			24"	48	2 724
70176	DISK - CLDK GEN. 2 LED CEILING LUMINAIRE		CLDK4-G2-R8W-A/5CWH	120	2 700/3 000/3 500/ 4 000/5 000	4"	8	660
70177			CLDK6-G2-R15W-A/5CWH			6"	15	1 230
68378	MOTION SENSOR DISK - CLDKMS LED CEILING LUMINAIRE		CLDKMS7-R14W-A/40WH	120	4 000	7"	14	1 000
68713	CIRKA ROUND LED CEILING LUMINAIRE		CRK5-R6W-A-3CWH	120	3 000/4 000/5 000	5"	6	360
68714			CRK7-R12W-A-3CWH			7"	12	840
68715			CRK9-R18W-A-3CWH			9"	18	1 260
68716			CRK12-R24W-A-3CWH			12"	24	1 920
69562	IMPRESSION LED WALL SCNCE		SVANIM10-R20W-A-5CBN	120	2 700/3 000/3 500/ 4 000/5 000	10"	20	1 500
69563			SVANIM10-R20W-A-5CBK			24"	28	2 200
69564			SVANIM24-R28W-A-5CBN					
69565			SVANIM24-R28W-A-5CBK					
69697	LINIA LED WALL SCNCE		SVANL12-S15W-A-5CBK	120	2 700/3 000/3 500/ 4 000/5 000	12"	15	956
69698			SVANL12-S15W-A-5CBN					993
69699			SVANL12-S15W-A-5CCH					1 008
69700			SVANL24-S24W-A-5CBK			24"	24	1 700
69701			SVANL24-S24W-A-5CBN					1 712
69702			SVANL24-S24W-A-5CCH					1 752
69409	 PICCOLO CHOICE LED TRACK HEAD	TLP-13-3090F-AJWH/CHOICE	120	3 000	2 3/8" dia.	13	1 000	
69410		TLP-13-3090F-AJBK/CHOICE						
69445	COB TAPE KITS		COB/TAPE/KIT/16.4'/5.5W/30K/24V/10MM	24	3 000	16.4' (5 M)	1.7W/FT	170LM/FT
69446			COB/TAPE/KIT/16.4'/5.5W/40K/24V/10MM		4 000			190LM/FT
69015	GIMBAL 12W HIGH OUTPUT DOWNLIGHT		DL/GIMBAL/3.5IN/RND/12W/5C/WH	120	2 700/3 000/3 500/ 4 000/5 000	3.5"	12	850
69016			DL/GIMBAL/3.5IN/RND/12W/5C/BK					
68671	 SWIVEL CHOICE DIRECTIONAL DOWNLIGHT	SWDL4R-8A-3CWH/CHOICE	120	2 700/3 000/4 000	4"	8	600	
68672		SWDL4R-8A-3CBK/CHOICE						
68673		SWDL4R-8A-3CBN/CHOICE						
68031	VIVIO DUAL INSTALLATION DOWNLIGHT		VDL4R-08A/5C	120	2 700/3 000/3 500/ 4 000/5 000	4"	8	650
70144	 LPDL ECO CHOICE LOW PROFILE DOWNLIGHT		LPDL4R-9A-5CWH-ECO/CHOICE	120	2 700/3 000/3 500/ 4 000/5 000	4"	9	750
70145			LPDL4R-9A-5CWH-ECO/CHOICE 10P					
70015	 LPDL CHOICE GEN. 2 LOW PROFILE DOWNLIGHT		LPDL4R-9A-5CWH/CHOICE	120	2 700/3 000/3 500/ 4 000/5 000	4"	9	900
70016			LPDL4R-9A-5CBK/CHOICE				9	900
70017			LPDL6R-12A-5CWH/CHOICE				12	1050

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering

INDOOR LIGHTING

CODE	SERIES	PICTURE	MODEL	VOLTS (V)	CCT (K)	SIZE	WATTS (W)	LUMENS (LM)
70129	LPDL STANPRO LOW PROFILE DOWNLIGHT		LPDL4R-S2-7.5A-5CWH	120	2 700/3 000/3 500/ 4 000/5 000	4"	9	700
70131			LPDL4R-S2-7.5A-5CBK					
70022	 COMETO CHOICE SLIM BACKLIT COMMERCIAL DOWNLIGHT		DLC04R-PS12Q-5CWH/CHOICE	120-347	2 700/3 000/3 500/ 4 000/5 000	4"	8/10/12	750/900/1 000
69570			DLC06R-PS18Q-5CWH/CHOICE			6"	12/15/18	1 200/1 500/1 800
69571			DLC08R-PS25Q-5CWH/CHOICE			8"	15/20/25	1 700/2 200/2 800
69093	CDU GEN. 2 UNIVERSAL COMMERCIAL DOWNLIGHT		CDU4R-G2-PS3Q/3CWH	120-347	3 000/3 500/4 000	4"	7/9/12	595/765/1 000
69094			CDU6R-G2-PS3Q/3CWH			6"	12/16/20	1 080/1 440/2 000
69095			CDU8R-G2-PS3Q/3CWH			8"	15/20/25	1 800/2 200/2 900
70010	 L3PNV CHOICE LED BACKLIT PANEL DLC STANDARD		L3PNV-1LPS40-Q/5C/CHOICE	120-347	3 000/3 500/4 000/ 5 000/6 500	1'X4'	20/25/30/ 35/40	2 288/2 955/3 585/ 4 025/4 477
70011			L3PNV-2LPS40-Q/5C/CHOICE			2'X2'		2 226/2 882/3 488/ 3 938/4 397
70012			L3PNV-4LPS50-Q/5C/CHOICE			2'X4'		3 639/4 074/4 494/ 5 130/5 526
70181	L3PNB LED BACKLIT PANEL DLC PREMIUM		L3PNB-G2-1LPS40P-Q/3C	120-347	3 500/4 000/5 000	1'X4'	20/30/40	2 750/4 000/5 100
70182			L3PNB-G2-2LPS40P-Q/3C			2'X2'		2 750/4 000/5 100
70183			L3PNB-G2-4LPS50P-Q/3C			2'X4'		4 100/5 400/6 600
69390	L2STR LED STRIP		L2STR-24LS1-Q/3C	120-347	3 500/4 000/5 000	2'	20	2 640
69392			L2STR-48LP45-Q/3C			4'	34/38/45	5 270/5 776/6 660
69394			L2STR-96LP90-Q/3C			8'	65/75/90	9 750/11 100/12 780
69400	L2TRV TRI-LEVEL MOTION SENSOR LED STRIP		L2TRV-24LS1-Q/3C	120-347	3 500/4 000/5 000	2'	20	2 640
69402			L2TRV-48LP45-Q/3C			4'	34/38/45	5 270/5 776/6 660
69404			L2TRV-96LP90-Q/3C			8'	65/75/90	9 750/11 100/12 780
69844	 L2SNR CHOICE LED SLIM STRIP WITH ROUND LENS		L2SNR-24LS1-Q/3C/CHOICE	120-347	3 500/4 000/5 000	2'	20	2 900
69845			L2SNR-48LP45-Q/3C/CHOICE			4'	25/30/45	4 000/4 650/5 525
69847			L2SNR-96LP90-Q/3C/CHOICE			8'	65/75/90	9 490/10 725/12 600
70044	 L2WMG CHOICE LED WRAPAROUND		L2WMG-48/CHOICE	120-277	4 000	4'	44	5 060
70045			L2WMG-48PS-Q/5C/CHOICE	120-347	3 000/3 500/4 000/ 4 500/5 000		30/35/40	3 900/4 550/5 200
68700	THB TEMPORARY LED HIGH BAY		THB-DSC-100W-CW	120	Cool White		100	11 530
68701			THB-DSC-150W-CW				150	17 380

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering

VAPOR PROOF & HIGH BAY

CODE	SERIES	PICTURE	MODEL	VOLTS (V)	CCT (K)	WATTS (W)	LUMENS (LM)
69566	VTL4-L GEN. 2 VAPOR TIGHT		VTL4-PS42B-Q-3C	120-347	3 500/4 000/5 000	30/35/42	4 523/5 052/5 870
69567			VTL4-PS65B-Q-3C			30/45/65	4 439/6 385/9 001
69428	 L1RVH CHOICE LED ROUND HIGH BAY		L1RVH-PS150-Q/3C-B/CHOICE	120-347	3 500/4 000/5 000	100/120/150	16 323/19 341/24 339
69560			L1RVH-PS150-Q/3C-W/CHOICE			100/120/150	16 323/19 341/24 339
69746			L1RVH-PS180-Q/3C-B/CHOICE			130/150/180	23 258/24 621/29 509
69429			L1RVH-PS240-Q/3C-B/CHOICE			200/240	32 363/38 345
69777	L1LEH GEN. 2 LED LINEAR HIGH BAY		L1LEH-24PS120-Q-3C	120-347	3 500/4 000/5 000	80/100/120	12 800 - 19 200
69778			L1LEH-24PS160-Q-3C			110/130/160	17 600 - 24 800
69779			L1LEH-24PS200-Q-3C			155/185/200	24 800 - 31 000
69780			L1LEH-48PS160-Q-3C			85/120/160	13 600 - 24 800
69781			L1LEH-48PS240-Q-3C			160/200/240	24 800 - 37 920
69782			L1LEH-48PS360-Q-3C			270/310/360	42 120 - 57 600
69783			L1LEH-48PS480-Q-3C			320/400/480	51 200 - 76 800
69784			L1LEH-48PS625-Q-3C			500/560/625	80 000 - 100 000

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering

OUTDOOR LIGHTING

CODE	SERIES	PICTURE	MODEL	VOLTS (V)	CCT (K)	WATTS (W)	LUMENS (LM)	
70438	 BFL CHOICE LED BULLET FLOOD LIGHT WITH SELECTABLE BEAM ANGLE		BFL-PS25-Q-3C-BK/CHOICE	120-347	3 000/4 000/5 000	15/20/25	2 084/2 738/3 199	
69925	 FLM CHOICE GEN. 2 FLOOD LIGHT		FLM-PS25B-Q-3C-BK/CHOICE	120-347	3 000/4 000/5 000	15/25	2 126/3 396	
69926			FLM-PS60B-Q-3C-BK/CHOICE			35/60	5 534/8 453	
69927			FLM-PS100B-Q-3C-BK/CHOICE			60/80/100	10 188/13 435/15 806	
69928			FLM-PS150B-Q-3C-BK/CHOICE			100/120/150	16 766/19 183/23 258	
69796	 FLL HIGH POWER FLOOD/AREA LIGHTS		FLLS-PS150W-Q3CBR	120-347	3 000/4 000/5 000	60/100/150	9 355/15 801/22 137	
69797			FLLM-PS300W-Q3CBR			160/200/240/300	26 182/31 848/36 562/43 965	
69798			FLLL-PS450W-Q3CBR			350/400/450	50 140/54 217/62 645	
69799			FLLS-PS150W-Q3CBK			60/100/150	9 355/15 801/22 137	
69800			FLLM-PS300W-Q3CBK			160/200/240/300	26 182/31 848/36 562/43 965	
69801			FLLL-PS450W-Q3CBK			350/400/450	50 140/54 217/62 645	
69802			FLLS-PS150W-Q22KBR			2 200	60/100/150	8 017/12 980/17 702
69803			FLLM-PS300W-Q22KBR				160/200/240/300	22 556/27 112/31 011/36 372
69175			 YLD LED YARD LIGHT				YLD-PS120A-W-3C-PT	120-277
70242	 IFG CHOICE LED UNDER CANOPY AND GARAGE LIGHT		IFG-PS70A-Q-3CBRP/CHOICE	120-347	3 000/4 000/5 000	40/60/70	5 636-9 745	
70243			IFG-PS70A-Q-3CWHP/CHOICE					
69150	 WCY CYLINDER WALL PACK		WCY-4LS1-Q-3C-BK-P	120-347	3 000/4 000/5 000	20	2445/1816/2415	
69432			WCY-4LS1-Q-3C-BR-P			36	4254/3674/4339	
69151			WCY-6LS2-Q-3C-BK-P					
69433			WCY-6LS2-Q-3C-BR-P					
70172	 CSL CHOICE DUAL HEAD LED SECURITY LIGHT		CSL-PS24A-A-3C-BK/CHOICE	120	3 000/4 000/5 000	16/20/24	1 852-2 498	
70277			CSL-PS24A-A-3C-WH/CHOICE					
69652	 DSL GEN. 2 DOUBLE HEAD LED SECURITY LIGHT		DSL-LS1B-A-3C-BR	120	3 000/4 000/5 000	20	1974	
69653			DSL-LS1B-A-3C-WH					
68607	 WFC LED WALL PACK "FULL CUT-OFF"		WFC-PS60A3-Q-3C-BR-P	120-347	3 000/4 000/5 000	25/40/60	3 625/5 640/8 220	
68608			WFC-PS100A3-Q-3C-BR-P			80/100	11 520/14 000	
69909	 WPS LED WALL PACK		WPS-PS40B-Q-3C-BR	120-347	3 000/4 000/5 000	25/30/40	3 875/4 500/5 800	
69910			WPS-PS100B-Q-3C-BR			60/80/100	9 300/12 000/14 500	
69911			WPS-NS120B-Q-3C-BR			120	17 430	
69912			WPS-PS40B-Q-3C-BK			25/30/40	4 010/4 646/5 981	
69913			WPS-PS100B-Q-3C-BK			60/80/100	8 819/12 053/14 554	
69914			WPS-NS120B-Q-3C-BK			120	17 430	
70124			WPS-PS40B-Q-3C-WH			25/30/40	4 010/4 646/5 981	
70125			WPS-PS100B-Q-3C-WH			60/80/100	8 819/12 053/14 554	

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering

OUTDOOR LIGHTING

CODE	SERIES	PICTURE	MODEL	VOLTS (V)	CCT (K)	WATTS (W)	LUMENS (LM)
68988	WCI-L GEN. 2 MINI LED WALL PACK		WCI-LS2B-W-3C-BR-P	120-277	3 000/4 000/5 000	20	2560
68989			WCI-LS2B-W-3C-WH-P				
68768	WTL TILTABLE LED WALL PACK		WTL-PS30A-Q-3C-BR-P	120-347	3 000/4 000/5 000	15/30	2 100-3 925
68769			WTL-PS80A-Q-3C-BR-P			50/80	7 000-10 392
69721	 WSL CHOICE SLIM PROFILE LED WALL PACK		WSL-PS60-Q-3C-BK	120-347	3 000/4 000/5 000	30/40/60	4 200/5 600/8 400
69722			WSL-PS80-Q-3C-BK			40/60/80	5 600/8 400/11 200
69723			WSL-PS60-Q-3C-BR			30/40/60	4 200/5 600/8 400
69724			WSL-PS80-Q-3C-BR			40/60/80	5 600/8 400/11 200
69726	WDP-L LED DECORATIVE WALL PACK		WDP-LS1-W-3C-BR	120-277	3 000/4 000/5 000	15	1 884
69727			WDP-LS1-W-3C-BK				
69728			WDP-LS1-W-3C-WH				
68722	WPA-L GEN. 2 ALL PURPOSE LED WALL PACK		WPA-LS1B-W-3C-BR-P	120-277	3 000/4 000/5 000	20	2 261
69561	WJM GEN. 2 INDUSTRIAL LIGHT FIXTURE		WJM-PS20A-Q-3C-GY	120-347	3 000/4 000/5 000	10/21	2 562

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering



CODE	DESCRIPTION	PICTURE	SHAPE	BASE	VOLTS (V)	CCT (K)	WATTS (W)	LUMENS (LM)
4' T8 BALLAST BYPASS-DOUBLE ENDED CCT SELECTABLE								
69194	T8/14W/80/5CCT/48/BYP/120-277/STD		T8	G13	120-277	3 000/3 500/4 000/5 000/6 500	14	1 800
69195	T8/17W/80/5CCT/48/BYP/120-277/STD		T8	G13	120-277	3 000/ 3 500/4 000/5 000/6 500	17	2 200
4' T8 BALLAST BYPASS-DOUBLE ENDED								
68438	T8/S2/11.5W/840/48/BYP/120-347/ND/STD		T8	G13	120-347	4 000	11.5	1 800
68441	T8/S2/15W/840/48/BYP/120-347/ND/STD		T8	G13	120-347	4 000	15	2 200
4' T8 BALLAST BYPASS-DOUBLE ENDED CHOICE								
69710	T8/12W/840/48/BYP/120-277/ND/CHOICE/STD		T8	G13	120-277	4 000	12	1 800
69711	T8/12W/850/48/BYP/120-277/ND/CHOICE/STD		T8	G13	120-277	5 000	12	1 800
4' T8 BALLAST COMPATIBLE								
69298	T8/S5/11W/840/48/STD		T8	G13	120-277/347	4 000	11	1 800
69301	T8/S5/14W/840/48/STD		T8	G13	120-277/347	4 000	14	2 200
4' T8 BALLAST COMPATIBLE CCT SELECTABLE								
69894	T8/10W/80/3CCT/48/STD		T8	G13	120-277/347	3 500/4 000/5 000	10	1 800
69895	T8/13W/80/3CCT/48/STD		T8	G13	120-277/347	3 500/4 000/5 000	13	2 200
HIGH INTENSITY CCT & POWER SELECT 360°								
69124	CRN/PS36W/3CCT/BYP/120-277/E26/STD		-	E26	120-277	3 000/4 000/5 000	18/27/36	5 220
69125	CRN/PS60W/2CCT/BYP/120-277/EX39/STD		-	EX39	120-277	4 000/5 000	42/60	9 300
69127	CRN/PS100W/2CCT/BYP/120-277/EX39/STD		-	EX39	120-277	4 000/5 000	70/100	15 500
69128	CRN/PS120W/2CCT/BYP/120-277/EX39/STD		-	EX39	120-277	4 000/5 000	84/120	18 600
69421	CRN/PS120W/3CCT/BYP/120-347/EX39/STD		-	EX39	120-347	3 000/4 000/5 000	80/100/120	12 000/15 000/18 000
PL CCT SELECTABLE - BALLAST BYPASS								
69384	PLV-H/S2/6W/TT/3CCT1/GX23/ND/STD		PL	GX23	120-277	3 000/4 000/5 000	6	615/675/650
PL CCT SELECTABLE - BALLAST COMPATIBLE								
69386	PLVL/S2/9W/3CCT/4P/ND/STD		PL	G24Q	120-277/347	3 000/3 500/4 000	9	1 025/1 100/1 050
69387	PLH/S2/9W/3CCT/4P/ND/STD		PL	G24Q	120-277/347	3 000/3 500/4 000	9	1 025/1 100/1 050
REFLECTORS CCT SELECTABLE								
69373	R20/6.5W/5CCT/STD		R	E26	120	2 700/3 000/3 500/4 000/5 000	6.5	615
69374	BR30/8W/5CCT/STD		BR	E26	120	2 700/3 000/3 500/4 000/5 000	8	735
69375	BR40/12.5W/5CCT/STD		BR	E26	120	2 700/3 000/3 500/4 000/5 000	12.5	1 180
69729	GU10/6.5W/5CCT/25/STD		MR16	GU10	120	2 700/3 000/3 500/4 000/5 000	6.5	500
69626	GU10/6.5W/5CCT/40/STD		MR16	GU10	120	2 700/3 000/3 500/4 000/5 000	6.5	500
69641	P20/6.5W/5CCT/25/STD		PAR20	E26	120	2 700/3 000/3 500/4 000/5 000	6.5	540
69642	P20/6.5W/5CCT/40/STD		PAR20	E26	120	2 700/3 000/3 500/4 000/5 000	6.5	540
69643	P30S/11W/5CCT/25/STD		PAR30SN	E26	120	2 700/3 000/3 500/4 000/5 000	11	900
69644	P30S/11W/5CCT/40/STD		PAR30SN	E26	120	2 700/3 000/3 500/4 000/5 000	11	900
69645	P30L/11W/5CCT/25/STD		PAR30LN	E26	120	2 700/3 000/3 500/4 000/5 000	11	900
69646	P30L/11W/5CCT/40/STD		PAR30LN	E26	120	2 700/3 000/3 500/4 000/5 000	11	900
69647	P38/14W/5CCT/25/STD		PAR38	E26	120	2 700/3 000/3 500/4 000/5 000	14	1 200
69648	P38/14W/5CCT/40/STD		PAR38	E26	120	2 700/3 000/3 500/4 000/5 000	14	1 200
69654	P38/14W/5CCT/25/BK/STD		PAR38	E26	120	2 700/3 000/3 500/4 000/5 000	14	1 200
69655	P38/14W/5CCT/40/BK/STD		PAR38	E26	120	2 700/3 000/3 500/4 000/5 000	14	1 200
70169	MR16/6W/3CCT/25/STD		MR16	GU5.3	12	2 700/ 3 000/ 4 000	6	500
70170	MR16/6W/3CCT/40/STD		MR16	GU5.3	12	2 700/ 3 000/ 4 000	6	500

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering

CODE	DESCRIPTION	PICTURE	SHAPE	BASE	VOLTS (V)	CCT (K)	WATTS (W)	LUMENS (LM)
REFLECTORS CHOICE								
69231	GU10/S2/6.5W/30K/40/CHOICE/STD	 C CHOICE	MR16	GU10	120	3 000	6.5	500
69234	MR16/S3/12V/6.5W/30K/35/CHOICE/STD	 C CHOICE	MR16	GU5.3	12	3 000	6.5	500
69215	P30L/S2/8W/30K/40/CHOICE/STD	 C CHOICE	PAR30LN	E26	120	3 000	8	800
69221	P30S/S2/8W/30K/40/CHOICE/STD	 C CHOICE	PAR30SN	E26	120	3 000	8	800
69227	P38/S2/13W/30K/40/CHOICE/STD	 C CHOICE	PAR38	E26	120	3 000	13	1 200
A19 60 AND 100W EQUIVALENT STANDARD								
69680	A19/S6/8W/27K/STD		A19	E26	120	2 700	8	800
69681	A19/S6/8W/30K/STD		A19	E26	120	3 000	8	800
69682	A19/S6/8W/40K/STD		A19	E26	120	4 000	8	800
69683	A19/S6/8W/50K/STD		A19	E26	120	5 000	8	800
69688	A19/S6/13W/27K/STD		A19	E26	120	2 700	13	1 600
69689	A19/S6/13W/30K/STD		A19	E26	120	3 000	13	1 600
69690	A19/S6/13W/40K/STD		A19	E26	120	4 000	13	1 600
69691	A19/S6/13W/50K/STD		A19	E26	120	5 000	13	1 600
A19 60W EQUIVALENT CHOICE								
69714	A19/S4/8W/27K/ND/CHOICE/STD	 C CHOICE	A19	E26	120	2 700	8	800
69715	A19/S4/8W/30K/ND/CHOICE/STD		A19	E26	120	3 000	8	800
69716	A19/S4/8W/40K/ND/CHOICE/STD		A19	E26	120	4 000	8	800
69717	A19/S4/8W/27K/ND/CHOICE/STD 4P		A19	E26	120	2 700	8	800
69718	A19/S4/8W/30K/ND/CHOICE/STD 4P		A19	E26	120	3 000	8	800
69719	A19/S4/8W/40K/ND/CHOICE/STD 4P		A19	E26	120	4 000	8	800
69720	A19/S4/8W/50K/ND/CHOICE/STD 4P		A19	E26	120	5 000	8	800
B11 FILAMENT								
70328	B11/S4/4.5W/27K/E12/V/FIL/STD		B11	E12	120	2 700	4.5	500

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering

METAL HALIDE BALLAST



Order Code	Description	Watts	Input Voltage	ANSI Code
		(W)	(V)	
62929	BMH0050/TRITAP/C/HX/H/K/STD	50	120/277/347	M110
62930	BMH0070/TRITAP/C/HX/H/K/STD	70	120/277/347	M98
62931	BMH0100/TRITAP/C/HX/H/K/STD	100	120/277/347	M90
62932	BMH0150/TRITAP/C/HX/H/K/STD	150	120/277/347	M102
62933	BMH0175/TRITAP/C/CWA/H/K/STD	175	120/277/347	M57
62934	BMH0250/TRITAP/C/CWA/H/K/STD	250	120/277/347	M58
10054	BMH0400/TRITAP/C/CWA/H/K/STD	400	120/277/347	M59
62935	BMH1000/TRITAP/C/CWA/H/K/STD	1000	120/277/347	M47
10058	BMH1500/TRITAP/C/CWA/H/K/STD	1500	120/277/347	M48

HIGH PRESSURE SODIUM REACTOR BALLAST




Order Code	Description	Watts	Input Voltage	ANSI Code
		(W)	(V)	
59284	BHPS0035/120/C/R/INT IGN/STD	35	120	S76
59285	BHPS0050/120/C/R/INT IGN/STD	50	120	S68
59286	BHPS0070/120/C/R/INT IGN/STD	70	120	S62
59287	BHPS0100/120/C/R/INT IGN/STD	100	120	S54
59283	BHPS0150/120/C/R/INT IGN/STD	150	120	S55

HIGH PRESSURE SODIUM TRITAP BALLAST



Order Code	Description	Watts	Input Voltage	ANSI Code
		(W)	(V)	
62922	BHPS0070/TRITAP/C/HX/H/K/STD	70	120/277/347	S62
62923	BHPS0100/TRITAP/C/HX/H/K/STD	100	120/277/347	S54
62924	BHPS0150/TRITAP/C/HX/H/K/STD	150	120/277/347	S55
62925	BHPS0250/TRITAP/C/CWA/H/K/STD	250	120/277/347	S50
62926	BHPS0400/TRITAP/C/CWA/H/K/STD	400	120/277/347	S51
62927	BHPS1000/TRITAP/C/CWA/H/K/STD	1000	120/277/347	S52

FLUORESCENT BALLAST



Order Code	Description	Primary Lamp Type	Input Voltage	# of Lamps
			(V)	
63025	E254T5HOPS120-277/N/XTRM	F54T5H0	120-277	2
63026	E254T5HOPS347/N/XTRM	F54T5H0	347	2
63027	E454T5HOPS120-277/N/XTRM	F54T5H0	120-277	4
63028	E454T5HOPS347/N/XTRM	F54T5H0	347	4
61113	E232T8IS120/N/AS	F32T8	120	2
66150	E232T8IS/MIC/347/N/AS	F32T8	347	2
61114	E432T8IS120/N/AS	F32T8	120	4
10294	E432T8IS347/N	F32T8	347	4
66753	E240T12RS120/N	F40T12	120	2
10291	E240T12PRS347/N	F40T12	347	2
10301	E296T12S120/N	F96T12	120	2
10302	E296T12S347/N	F96T12	347	2
61119	E296T12RS120/N/HO/AS	F96T12H0	120	2
59658	E296T12PRS347/N/HO	F96T12H0	347	2


FLUORESCENT LAMPS



Order Code	Description	Shape	Watts	Colour
			(W)	(K)
69286	F54T5/41K/8/HO/PS/G5/STD S2	T5	54	4 100 (Cool White)
69288	F54T5/50K/8/HO/PS/G5/STD S2	T5	54	5 000 (Daylight)
69290	F54T5/65K/8/HO/PS/G5/STD S2	T5	54	6 500 (Daylight Deluxe)
69287	F54T5/41K/8/HO/PS/G5/ELUME S2	T5	54	4 100 (Cool White)
69289	F54T5/50K/8/HO/PS/G5/ELUME S2	T5	54	5 000 (Daylight)



Order Code	Description	Shape	Watts	Colour
			(W)	(K)
69320	F17T8/41K/8/RS/G13/STD ESV S2	T8	17	4 100 (Cool White)
65486	F25T8/41K/8/RS/G13/STD ESV	T8	25	4 100 (Cool White)
62981	F32T8/30K/8/RS/G13/STD ESV BULK	T8	32	3 000 (Warm White)
62982	F32T8/35K/8/RS/G13/STD ESV BULK	T8	32	3 500 (White)
59898	F32T8/41K/8/RS/G13/STD ESV BULK	T8	32	4 100 (Cool White)
62983	F32T8/50K/8/RS/G13/STD ESV BULK	T8	32	5 000 (Daylight)
62984	F32T8/65K/8/RS/G13/STD ESV BULK	T8	32	6 500 (Daylight Deluxe)



Order Code	Description	Shape	Watts	Colour
			(W)	(K)
64251	F40T12/41K/9/RS/G13/STD	T12	40	4 100 (Cool White)
64252	F40T12/50K/9/RS/G13/STD	T12	40	5 000 (Daylight)
64253	F40T12/65K/9/RS/G13/STD	T12	40	6 500 (Daylight Deluxe)



PULSE START MED BASE METAL HALIDE LAMPS

Order Code	Description	Base	Watts		ANSI Code
			(W)	(K)	
68511	MH50W/U/PS STD	Med Base E26	50	4 000	M110
68517	MH70W/U/PS STD	Med Base E26	70	4 000	M98
68503	MH100W/U/PS STD	Med Base E26	100	4 000	M90
68515	MH150W/U/PS/740 STD	Med Base E26	150	4 000	M102



PULSE START MOG BASE METAL HALIDE LAMPS

Order Code	Description	Base	Watts		ANSI Code
			(W)	(K)	
68519	MH70W/U/ED28/PS STD	Mog Base E39	70	4 000	M98
68502	MH100W/U/ED28/PS STD	Mog Base E39	100	4 000	M90
68513	MH150W/U/ED28/PS/740 STD	Mog Base E39	150	4 000	M102



PROBE START METAL HALIDE LAMPS

Order Code	Description	Base	Watts		ANSI Code
			(W)	(K)	
68512	MH175W/U/MED STD	Med Base E26	175	4 000	M57
68501	MH175W/U STD	Mog Base E39	175	4 000	M57
68505	MH250W/U STD	Mog Base E39	250	4 200	M58
68504	MH400W/U/ED28 STD	Mog Base E39	400	4 000	M59
68500	MH400W/U STD	Mog Base E39	400	4 000	M59
68507	MH1000W/U/ED37 STD	Mog Base E39	1 000	4 000	M47
68506	MH1000W/U STD	Mog Base E39	1 000	4 000	M47



HIGH PRESSURE SODIUM LAMPS

Order Code	Description	Base	Watts		ANSI Code
			(W)	(K)	
70157	LU35/MED STD	Med Base E26	35	1 900	S76
70160	LU50/MED STD	Med Base E26	50	1 900	S68
70162	LU70/MED STD	Med Base E26	70	1 900	S62
70152	LU100/MED STD	Med Base E26	100	2 100	S54
70155	LU150/MED STD	Med Base E26	150	2 100	S55



Order Code	Description	Base	Watts		ANSI Code
			(W)	(K)	
70159	LU50/ECO STD	Mog Base E39	50	1 900	S68
70161	LU70/ECO STD	Mog Base E39	70	1 900	S62
70151	LU100/ECO STD	Mog Base E39	100	1 900	S54
70154	LU150/55/ECO STD	Mog Base E39	150	1 900	S55
70156	LU250/ECO STD	Mog Base E39	250	1 900	S50
70158	LU400/ECO STD	Mog Base E39	400	1 900	S51
70153	LU1000/ECO STD	Mog Base E39	1 000	2 100	S52

EMERGENCY LIGHTING

CODE	SERIES	DESCRIPTION	PICTURE	INPUT VAC	DC VOLTS VDC	NBR OF FACES	COLOUR			
SIGNS										
RMSE-UDC RMSE-IB1	RMSE	Steel Running Man Sign		120-347	UDC IB1 (120min)	Universal	White			
RMS0WH-UDC RMS0WH-IB1	RMS	Steel Running Man Sign		120/277/347	UDC IB1 (120min)	Universal	White			
RMPS0WH-UDC RMPS0WH-IB	RMPS	Plastic Running Man Sign		120/277/347	UDC IB (90min)	Universal	White			
RMPN0WH-UDC-S RMPN0WH-IB1-S	RMPN	Plastic Running Man Sign		120-347	UDC IB1 (120min)	Universal	White			
SLEXSC0WH SLEXSC0WH/IB	SLEXS	Exit Steel Sign		120/347	UDC IB (90min)	Universal	White			
SLSRSC0WH SLSRSC0WH/IB	SLSRS	Sortie Steel Sign		120/347	UDC IB (90min)	Universal	White			
SLEXXC1WH SLEXXC1WH/IB SLEXXC2WH SLEXXC2WH/IB	SLEXX	Extruded Aluminum Exit Sign		120/347	UDC IB (90min)	Single Face Double Face	White			
SLEXP0WH SLEXP0WH/IB	SLEXP	Plastic Exit Sign		120/347	UDC IB (90min)	Universal	White			
CODE	SERIES	DESCRIPTION	PICTURE	INPUT VAC	VOLTS VDC	WATTS	NBR OF HEADS	LIGHT SOURCE	NBR OF FACES	COLOUR
COMBO										
PRMPN-2HO	PRMPN-2HO	Plastic Combo Running Man		120-347	Standalone	Standalone	2	LED	Universal	White
PRS1	PRS1	Steel Combo Running Man		120-347	6	27	2	LED	Universal	White
PRMS-2L PRMS-3L PRMS12-2L	Easy Out PRMS	Steel Combo Running Man		120/347	6 12	36 72	2	LED	Universal	White
PRMS60360-2N09T	PRMS	Steel Combo Running Man		120/347	6	36	2	Tungsten	Universal	White
SPEXS-2L SPEXS12-2L	Easy Out SPEXS	Exit Steel Combo		120/347	6 12	36 72	2	LED	Universal	White
SPEXS60360-2N09T	SPEXS	Exit Steel Combo		120/347	6	36	2	Tungsten	Universal	White
SPSRS-2L SPSRS12-2L	Easy Out SPSRS	Sortie Steel Combo		120/347	6 12	36 72	2	LED	Universal	White
SPSRS60360-2N09T	SPSRS	Sortie Steel Combo		120/347	6	36	2	Tungsten	Universal	White

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering

EMERGENCY LIGHTING

CODE	SERIES	DESCRIPTION	PICTURE	INPUT VAC	VOLTS VDC	WATTS	NBR OF HEADS	LIGHT SOURCE	COLOUR
BATTERY									
SL1	SL1	Steel Battery Unit		120-347	6	27	2	LED	White
SLA-2L SLA-3L SLA12-2L	Easy Out SLA-2L,3L,12-2L	Steel Battery Unit		120/347	6 12	36 72	2	LED	White
SLA06036-2N09T SLA12036-2N09T SLA12072-2N09T SLB06072-2N09T SLB12100-2N09T SLC12160-2N09T SLC12200-2N09T SLC12250-2N09T SLC12360-2N09T	SLA, SLB, SLC	Steel Battery Unit		120/347	6 12	36 72 100 160 200 250 360	2	Tungsten	White
SLG-2L	Easy Out SLG-2L	Plastic Battery Unit		120/347	NA	NA	2	LED	White
CODE	SERIES	DESCRIPTION	PICTURE	VOLTS VDC	WATTS	NBR OF HEADS	LIGHT SOURCE	COLOUR	
REMOTE									
N1-06V09WT N1-12V09WT N1-24V09WT N2-06V09WT N2-12V09WT N2-24V09WT	N Series	Mini Plastic Remote		6 12 24	9 12	1 2	Tungsten	White	
N1-06V2WLJWH N1-12V2WLJWH N1-06-12V3WLJ N1-06-12V4WLJ N2-06V2WLJWH N2-12V2WLJWH N2-06-12V3WLJ N2-06-12V4WLJ	N Series	Mini Plastic Remote		6 12	2 3 4	1 2	LED	White	
S1-06-24V4WLR/WH S2-06-24V4WLR/WH	S Series	Die Cast Remote		6-24	4	1 2	LED	White	

This selection of products represents the most popular configurations and indicates our best stocking items. More configurations and options might be available for the different product series, please consult our website or brochure for more information and our complete offering



“**STANPRO...
Contractors’ Choice
for Brilliance!**”



**FOR OUR FULL
OFFERING
VISIT
OUR WEBSITE**

**SPEAK TO YOUR
REPRESENTATIVE**

