

PROJECT:

DISTRIBUTOR:

DRAWN BY:

CATALOGUE #:

CONTRACTOR:

DATE:

TYPE:

PO:

CONNECTORS, WIRES & ACCESSORIES

COMPONENTS FOR IP22 LED TAPES

STANPRO

SPEC SHEET

FEATURES AND SPECIFICATIONS

CONSTRUCTION

Physical Characteristics

- No soldering required
- Easy installation to accommodate various lengths
- Quick and secure connections
- Compatible with Stanpro's IP22

[Low Voltage LED Tapes](#)

Mounting

- Direct connection options:
 - Tape to tape
 - Tape to wire (Compatible wire : 20-22 AWG TR64 type)
 - Wire to wire (Compatible wire : 20-22 AWG TR64 type)
- WAGOs for multiple wire connections
 - Larger gauge wires (12-24 AWG)
 - 2 way connectors
 - 5 way connectors using one driver
- Corner installation with L and T shape PCB joint connector

PERFORMANCE DATA

- Suitable for dry location



3 YEARS
WARRANTY

QUICK SHIP AND TECHNICAL SPECIFICATION TABLE

| Type | Order Code | Model Number | Description | Dimensions | Compatible | Colour | Certification | Qty Per Pack | Master Case Qty | Figure |
|------|------------|--------------------------------------|----------------------------|----------------------|---------------------|---------------|---------------|--------------|-----------------|--------|
| | 66130 | TAPE/8MM/SINGLE_END_CONN/STD | Tape to Wire (8 mm) | 2 m. wire (incl.) | 20-22 AWG TR64 type | Clear / Black | RoHS | 10 | 300 | A |
| | 66132 | TAPE/8MM/IN_LINE_CONN/STD | Tape to Tape (8mm) | - | LV LED Tapes (8mm) | Clear / Black | RoHS | 10 | 300 | A |
| | 66239 | TAPE/WIRE_TO_WIRE_CONN/STD | Wire to Wire (8mm) | - | 20-22 AWG TR64 type | Clear / Black | - | 10 | 300 | B |
| | 66771 | TAPE/2WAY_WIRE_TO_WIRE_CONN/STD | Two way - Wire to Wire | 11.2 x 13.1 x 8.3 mm | 12-24 AWG | Orange | - | 1 | 100 | C |
| | 66242 | TAPE/5WAY_WIRE_TO_WIRE_CONN/STD 4P | Five way - Wire to Wire | 18.6 x 29.9 x 8.3 mm | 12-24 AWG | Orange | - | 4 | 200 | D |
| | 66240 | TAPE/WIRE_TO_DC_FEMALE/STD | Wire to DC Female | 12" | 20 AWG | Black | - | 1 | 50 | E |
| | 66241 | TAPE/WIRE_TO_DC_MALE/STD | Wire to DC Male | 12" | 20 AWG | Black | - | 1 | 50 | F |
| | 66243 | TAPE/DOUBLE_FACE_33M/STD | Double face tape | 33 m | - | Red | - | 1 | 10 | G |
| | 67630 | TAPE/8MM/LSHAPECORNER/STD 5P | L Shape PCB Joiner | 20 x 8 mm | - | White | RU | 5 | 250 | H |
| | 67631 | TAPE/8MM/TSHAPECORNER/STD 5P | T Shape PCB Joiner | 32 x 20x 8 mm | - | White | RU | 5 | 250 | I |
| | 69734 | TAPE/1 TO 5 ENTRY_DC_SPLITTER_FEMALE | Five way wire to DC Female | 11 x 11 x 400 mm | - | Black | - | 1 | 250 | J |



A



B



C



D



E



F



G



H






I



J

DIAGRAMS



66130 - TAPE TO WIRE



66132 - TAPE TO TAPE




66239 - WIRE TO WIRE




DIAGRAMS




66242 - FIVE-WAY WAGOS




66771 - TWO WAY WAGOS





66240 - WIRE CONNECTORS



69734 - 1 TO 5 DC SPLITTER



67630 - L SHAPE PCB JOINER



67631 - T SHAPE PCB JOINER

