

LED T8 Type A lamps Ballast Compatibility List



T8 TYPE A 3 CCT SELECTABLE

Standard: 120/277 V

- 69891 - T8/8W/80/3CCT/24/STD/SMX
- 69892 - T8/11W/80/3CCT/36/STD/SMX
- 69893 - T8/13W/80/3CCT/48/STD/SMX
- 69894 - T8/10W/80/3CCT/48/STD
- 69895 - T8/13W/80/3CCT/48/STD

Ballast Description				1 Lamp Load		2 Lamps Load		3 Lamps Load		4 Lamps Load	
Brand	Part Number	Start Method	Number of lamps	Input Voltage							
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
Standard	56558 E232PI120L	IS	2	Compatible		Compatible					
	56558 E232T8IS120/L/BULK	IS	2	Compatible		Compatible					
	61113 E232T8IS120/N/AS	IS	2	Compatible		Compatible					
	59770 E432T8IS120/H	IS	4					Non-compatible		Compatible	
	61127 E432T8IS120/L/AS/BULK	IS	4					Compatible		Compatible	
	61120 E432T8IS120/L/AS	IS	4					Compatible		Compatible	
	61124 E432T8IS120/N/AS/BULK	IS	4					Compatible		Compatible	
	61131 E232T8IS120-277/L/AS	IS	2	Compatible	Non-compatible	Compatible	Compatible				
	61126 E232T8IS120-277/L/AS	IS	2	Compatible	Non-compatible	Compatible	Compatible				
	63627 E232T8PS120-277/N/AS	PS	2	Compatible	Compatible	Compatible	Compatible				
	61061 E232T8PS120-277/N/AS/BULK	PS	2	Compatible	Compatible	Compatible	Compatible				
	61061 E232T8PS120-277/N/AS	PS	2	Compatible	Compatible	Compatible	Compatible				
	61062 E232T8PS120-277/L/AS/BULK	PS	2	Non-compatible	Non-compatible	Compatible	Compatible				
	61128 E232T8IS120-277/N/AS	IS	2	Compatible	Non-compatible	Compatible	Compatible				
	61123 E232T8IS120/L/AS	IS	2	Compatible		Compatible					
	61126 E232T8IS120/L/AS/BULK	IS	2	Compatible		Compatible					
	60075 E232T8IS120/H/90C	IS	2	Compatible		Non-compatible					
	60080 E332T8IS120/L/90C/BULK	IS	3			Compatible		Compatible			
	61122 E332T8IS120/N/AS	IS	3			Compatible		Compatible			
	61065 E432T8PS120-277/L/AS/BULK	PS	4					Compatible	Compatible	Compatible	Compatible
	61129 E432T8IS120-277/N/AS	IS	4					Compatible	Compatible	Compatible	Compatible
	62587 E432T8IS120-277/N/AS/BULK	IS	4					Compatible	Compatible	Compatible	Compatible
	62587 E432T8IS120-277/N/AS	IS	4					Compatible	Compatible	Compatible	Compatible
	61063 E432T8PS120-277/N/AS/BULK	PS	4					Compatible	Compatible	Compatible	Compatible
61134 E432T8IS120-277/L/AS	IS	4					Compatible	Compatible	Compatible	Compatible	

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

■ compatible ■ non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



69891 - T8/8W/80/3CCT/24/STD/SMX
 69892 - T8/11W/80/3CCT/36/STD/SMX
 69893 - T8/13W/80/3CCT/48/STD/SMX

69894 - T8/10W/80/3CCT/48/STD
 69895 - T8/13W/80/3CCT/48/STD

Other brands: 120/277 V (1/2)

Ballast Description				1 Lamp Load		2 Lamps Load		3 Lamps Load		4 Lamps Load	
Brand	Part Number	Start Method	Number of lamps	Input Voltage							
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
Advance	ICN-2P32-N	IS	2								
	ICN-2P32-SC	IS	2								
	ICN-2S40-N	IS	2								
	ICN-4P32-N REV.D	IS	4								
	ICN-4P32-SC	IS	4								
	ICN-1P32-N	IS	1								
	IOPA-1P32-N	IS	1								
	IOPA-2P32-N	IS	2								
	IOPA-1P32-LW-N	IS	1								
	IOPA-2P32-LW-N	IS	2								
	IOPA-4P32-LW-N	IS	4								
	IOPS-1P32-N	IS	1								
	IOP-4P32-LW-N	IS	4								
	RCN-2S32-SC	PS	2								
	REZ-2S32-SC *	PS/DIM	2								
	REL-4P32-RH-TP	IS	4								
	RELB-2S40-N	RS	2								
REL-2P32-SC	IS	2									
ESPEN	VE232MVHIP	IS	2								
	VE232MVHIPE	IS	2								
	VE232MVHIPHE	IS	2								
	VE232MVHIPL	IS	2								
	VE432MVHIP	IS	4								
	VE432MVHIPE	IS	4								
	VE432MVHIPHE	IS	4								
Fulham	NPY-120-232-LT8	PS	2								
	NPY-120-432-T8-B	IS	4								
	NPY-120-432-T8-S	IS	4								
	WHCG3-120-T8-IS	IS	3								
	WHCG5-120-T12-RS	RS	2								
	WHL-120-L	IS	2								
	WH5-120-L	IS	2								
Fusion	FB232MVE	IS	2								
	FB332MVE	IS	3								
	FB432MVE	IS	4								
	FB232MVE-HE	IS	2								
	FB232MVE-LHE	IS	2								
	FB432MVE-HE	IS	4								
	FB232MVE-PPS-HE	PS	2								
	FB432MVE-PPS-HE	PS	4								
	GE	GE432MAXP-H/ULTRA	IS	4							
GE232MAXP-H		IS	2								
GE232MAXP-L		IS	2								
GE332MAXP-L		IS	3								
GE132MAXP-N		IS	1								
GE 232-120RES-DIYB		IS	2								
GE 232-120-PS-N		PS	2								
GE232MAX-G-N		IS	2								
GE232MAX-N		IS	2								
GE232-MVPS-L		PS	2								
GE232-MV-N		IS	2								
GE-232-MVPS-H		PS	2								
GE332MAX90-V60		IS/DIM	3								
GE332MV-N-DIY		IS	3								
GE432MAX-H-42T		IS	4								
GE-232-MV-PS-L	PRO	2									

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



Other brands: 120/277 V (2/2)

Ballast Description				1 Lamp Load		2 Lamps Load		3 Lamps Load		4 Lamps Load	
Brand	Part Number	Start Method	Number of lamps	Input Voltage							
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
Greenhill	GH2P59ISUNV	IS	2	Compatible	Compatible						
	GH4P32ISUNV	IS	4					Compatible	Compatible		
Halco	EP232IS/H/MV/HE	IS	2	Compatible	Compatible						
	EP332IS/L/MV/HE	IS	3					Compatible	Compatible		
	EP332IS/MV/MC	IS	3					Compatible	Compatible		
	EP432IS/L/MV/HE	IS	4					Compatible	Compatible	Compatible	Compatible
	EP432IS/MV/MC	IS	4					Compatible	Compatible	Compatible	Compatible
Huafeng	ENI-T8-32-P2SC-N	IS	2	Compatible	Compatible						
	ENI-T8-32-P4MC-N	IS	4					Compatible	Compatible	Compatible	Compatible
Keystone	KTEB-232-UV-IS-N-P	IS	2	Compatible	Compatible						
	KTEB-332-UV-IS-N-P	IS	3					Compatible	Compatible		
	KTEB-432-UV-IS-N-P	IS	4					Compatible	Compatible	Compatible	Compatible
	KTEB-232-UV-PS-VDIM	PS/DIM	2					Compatible	Compatible		
OSRAM	QTP 3x32T8/UNV PSX-SC	IS	3					Compatible	Compatible		
	QHE 4*32T8/UNV PSN-SC	PS	4	Compatible	Compatible					Compatible	Compatible
	QTP 2*32T8/UNV ISN-SC	IS	2	Compatible	Compatible						
	QHE1X32T8/UNV ISH-HT-SC	IS	1	Compatible	Compatible						
	QHE1X32T8/UNV ISL-SC	IS	1	Compatible	Compatible						
	QHE1X32T8/UNV ISN-SC	IS	1	Compatible	Compatible						
	QHE1x32T8/UNV DIM-TC	DIM	1	Compatible	Compatible						
	QHE1XLEDT8/UNV ISL-SC	IS	1	Compatible	Compatible						
	QHE1XLEDT8/UNV ISN-SC	IS	1	Compatible	Compatible						
	QHE1XLEDT8/UNV ISN-SC-G2	IS	1	Compatible	Compatible						
	QHE2XLEDT8/UNV ISL-SC-G2	IS	2	Compatible	Compatible						
	QHE2XLEDT8/UNV ISN-SC-G2	IS	2	Compatible	Compatible						
	QHE2X32T8/UNV ISH-HT-SC	IS	2	Compatible	Compatible						
	QHE2X32T8/UNV ISL-SC	IS	2	Compatible	Compatible						
	QHE2X32T8/UNV ISN-SC	IS	2	Compatible	Compatible						
	QHE2X32T8/UNV PSH-HT	PRO	2	Compatible	Compatible						
	QHE2x32T8/UNV DIM-TC	DIM	2	Compatible	Compatible						
	QHE3XLEDT8/UNV ISL-SC	IS	3	Compatible	Compatible						
	QHE3XLEDT8/UNV ISN-SC	IS	3	Compatible	Compatible						
	QHE3XLEDT8/UNV ISN-SC-G2	IS	3	Compatible	Compatible						
	QHE3X32T8/UNV ISL-SC	IS	3	Compatible	Compatible						
	QHE3X32T8/UNV ISN-SC	IS	3	Compatible	Compatible						
	QHE3X32T8/UNV ISN-SC-1	IS	3	Compatible	Compatible						
	QHE3X32T8/UNV PSN-SC	PRO	3	Compatible	Compatible						
	QHE4XLEDT8/UNV ISN-SC-G2	IS	4	Compatible	Compatible						
	QHE4X32T8/UNV ISL-SC	IS	4	Compatible	Compatible						
	QHE4X32T8/UNV ISN-SC	IS	4	Compatible	Compatible						
	QHE4x32T8/UNV DIM-TCL	DIM	4	Compatible	Compatible						
	QTP 2*32T8/UNV ISN-SC	IS	2	Compatible	Compatible						
	Howard	EP4/32IS/MV/MC/HE	IS	4	Compatible	Compatible					
EPL3/32IS/MV/SC/HE		IS	3	Compatible	Compatible						
POWER MASTER	2*32T8-UNV-IS-L	IS	2	Compatible	Compatible						
Robertson	RSW240T12120	PS	2	Compatible	Compatible						
Sunpark	SL15T	PS	2	Compatible	Compatible						
Premium	BB-T8/UVH-2x32	IS	2	Compatible	Compatible						
	BB-T8/UVH-3x32	IS	3					Compatible	Compatible		
Pacific	EB-332IS-U	IS	3					Compatible	Compatible		
	EB-432IS-U	IS	4					Compatible	Compatible	Compatible	Compatible
TCP	E4P32PSVNVE	IS	4	Compatible	Compatible						
PLUSRITE	BAF232IS/MV/H	IS	2	Compatible	Compatible						
Universal	B232SR120S30	PS/DIM	2					Compatible	Compatible		
	B232IUNVHP-N	IS	2					Compatible	Compatible		
	B432IUNVHP-A	IS	4					Compatible	Compatible	Compatible	Compatible
	B332IUNVHP-A	IS	3	Compatible	Compatible						

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



T8 TYPE A SERIES 5

Standard: 120/277 V (1/2)

- 69295 - T8/S5/8W/840/24/STD
- 69303 - T8/S5/8W/830/24/STD/SMX
- 69304 - T8/S5/8W/835/24/STD/SMX

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		
Brand	Order code	Starting Method	Number of lamps	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Standard	61063 E432T8PS120-277/N/AS/BULK	PS	4									
	61128 E232T8IS120-277/N/AS	IS	2									
	61062 E232T8PS120-277/L/AS/BULK	PS	2									
	63627 E232T8PS120-277/N/AS	PS	2									
	60080 E332T8IS120/L/BULK	IS	3									
	61065 E432T8PS120-277/L/AS/BULK	PS	4									
	60075 E232T8IS120/H/90C	IS	2									
	61129 E432T8IS120-277/N/AS	IS	4									
	59770 E432T8IS120/H/90C	IS	4									
	31037 STD DESC BE117/32PH120/L/SL/TP/STD GLB	IS	1									
	31010 STD DESC B132T8IS120/N	IS	1									
	61114 E432T8IS120/N/AS	IS	4									
	61125 E432T8IS120/N/AS/BULK	IS	4									
	61113 E232T8IS120/N/AS	IS	2									
	61124 E232T8IS120/N/AS/BULK	IS	2									
	61120 E432T8IS120/L/AS	IS	4									
	61127 E432T8IS120/L/AS/BULK	IS	4									
	61122 E332T8IS120/N/AS	IS	3									
	61123 E232T8IS120/L/AS	IS	2									
61126 E232T8IS120/L/AS/BULK	IS	2										
61134 E432T8IS120-277/L/AS	IS	4										

- 69296 - T8/S5/10W/840/36/STD
- 69305 - T8/S5/10W/835/36/STD/SMX
- 69306 - T8/S5/10W/840/36/STD/SMX

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		
Brand	Order code	Starting Method	Number of lamps	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Standard	61063 E432T8PS120-277/N/AS/BULK	PS	4									
	61128 E232T8IS120-277/N/AS	IS	2									
	56556 E132T8IS120/L/BULK	IS	1									
	61062 E232T8PS120-277/L/AS/BULK	PS	2									
	63627 E232T8PS120-277/N/AS	PS	2									
	60080 E332T8IS120/L/BULK	IS	3									
	61065 E432T8PS120-277/L/AS/BULK	PS	4									
	60075 E232T8IS120/H/90C	IS	2									
	61129 E432T8IS120-277/N/AS	IS	4									
	59770 E432T8IS120/H/90C	IS	4									
	31037 STD DESC BE117/32PH120/L/SL/TP/STD GLB	IS	1									
	31010 STD DESC B132T8IS120/N	IS	1									
	61114 E432T8IS120/N/AS	IS	4									
	61125 E432T8IS120/N/AS/BULK	IS	4									
	61113 E232T8IS120/N/AS	IS	2									
	61124 E232T8IS120/N/AS/BULK	IS	2									
	61120 E432T8IS120/L/AS	IS	4									
	61127 E432T8IS120/L/AS/BULK	IS	4									
	61122 E332T8IS120/N/AS	IS	3									
61123 E232T8IS120/L/AS	IS	2										
61126 E232T8IS120/L/AS/BULK	IS	2										
61134 E432T8IS120-277/L/AS	IS	4										

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

■ compatible ■ non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



Standard: 120/277 V (2/2)

69297 - T8/S5/11W/835/48/STD
 69298 - T8/S5/11W/840/48/STD
 69299 - T8/S5/11W/850/48/STD

69307 - T8/S5/11W/830/48/STD/SMX
 69308 - T8/S5/11W/835/48/STD/SMX
 69309 - T8/S5/11W/840/48/STD/SMX
 69310 - T8/S5/11W/850/48/STD/SMX

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps	
Brand	Order code	Starting Method	Number of lamps	Input Voltage							
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
Standard	61063 E432T8PS120-277/N/AS/BULK	PS	4								
	61128 E232T8IS120-277/N/AS	IS	2								
	56556 E132T8IS120/L/BULK	IS	1								
	61062 E232T8PS120-277/L/AS/BULK	PS	2								
	63627 E232T8PS120-277/N/AS	PS	2								
	60080 E332T8IS120/L/BULK	IS	3								
	61065 E432T8PS120-277/L/AS/BULK	PS	4								
	60075 E232T8IS120/H/90C	IS	2								
	61129 E432T8IS120-277/N/AS	IS	4								
	59770 E432T8IS120/H/90C	IS	4								
	31037 STD DESC BE117/32P120/L/SL/TP/STD GLB	IS	1								
	31010 STD DESC B132T8IS120/N	IS	1								
	61114 E432T8IS120/N/AS	IS	4								
	61125 E432T8IS120/N/AS/BULK	IS	4								
	61113 E232T8IS120/N/AS	IS	2								
	61124 E232T8IS120/N/AS/BULK	IS	2								
	61120 E432T8IS120/L/AS	IS	4								
	61127 E432T8IS120/L/AS/BULK	IS	4								
61122 E332T8IS120/N/AS	IS	3									
61123 E232T8IS120/L/AS	IS	2									
61126 E232T8IS120/L/AS/BULK	IS	2									
61134 E432T8IS120-277/L/AS	IS	4									

69300 - T8/S5/14W/835/48/STD
 69301 - T8/S5/14W/840/48/STD
 69302 - T8/S5/14W/850/48/STD

69311 - T8/S5/14W/830/48/STD/SMX
 69312 - T8/S5/14W/835/48/STD/SMX
 69313 - T8/S5/14W/840/48/STD/SMX
 69314 - T8/S5/14W/850/48/STD/SMX

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps	
Brand	Order code	Starting Method	Number of lamps	Input Voltage							
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V
Standard	61063 E432T8PS120-277/N/AS/BULK	PS	4								
	61128 E232T8IS120-277/N/AS	IS	2								
	56556 E132T8IS120/L/BULK	IS	1								
	61062 E232T8PS120-277/L/AS/BULK	PS	2								
	63627 E232T8PS120-277/N/AS	PS	2								
	60080 E332T8IS120/L/BULK	IS	3								
	61065 E432T8PS120-277/L/AS/BULK	PS	4								
	60075 E232T8IS120/H/90C	IS	2								
	61129 E432T8IS120-277/N/AS	IS	4								
	59770 E432T8IS120/H/90C	IS	4								
	31037 STD DESC BE117/32P120/L/SL/TP/STD GLB	IS	1								
	31010 STD DESC B132T8IS120/N	IS	1								
	61114 E432T8IS120/N/AS	IS	4								
	61125 E432T8IS120/N/AS/BULK	IS	4								
	61113 E232T8IS120/N/AS	IS	2								
	61124 E232T8IS120/N/AS/BULK	IS	2								
	61120 E432T8IS120/L/AS	IS	4								
	61127 E432T8IS120/L/AS/BULK	IS	4								
61122 E332T8IS120/N/AS	IS	3									
61123 E232T8IS120/L/AS	IS	2									
61126 E232T8IS120/L/AS/BULK	IS	2									
61134 E432T8IS120-277/L/AS	IS	4									

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

■ compatible ■ non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



T8 TYPE A 3 CCT SELECTABLE

Standard: 347 V

69891 - T8/8W/80/3CCT/24/STD/SMX
 69892 - T8/11W/80/3CCT/36/STD/SMX
 69893 - T8/13W/80/3CCT/48/STD/SMX

69894 - T8/10W/80/3CCT/48/STD
 69895 - T8/13W/80/3CCT/48/STD

Ballast Description				1 Lamp Load		2 Lamps Load		3 Lamps Load		4 Lamps Load	
Brand	Part Number	Start Method	Number of lamps	Input Voltage							
				347V	480V	347V	480V	347V	480V	347V	480V
Standard	10293 E232T8IS347/N	IS	2								
	60076 E232T8IS347/H/90C	IS	2								
	58278 E232T8IS347/L/BULK	IS	2								
	31549 E232T8IS347/N/BULK	IS	2								
	10294 E432PI347G01	IS	4								
	10294 E432T8IS347/N	IS	4								
	56603 E432T8IS347/L/BULK	IS	4								
	10294 E432T8IS347/N	IS	4								
	31552 E432T8IS347/N/BULK	IS	4								
	59771 E432T8IS347/H/90C	IS	4								
	66150 E232T8IS/MIC/347/N/AS	IS	2								
	66151 E232T8IS/MIC/347/N/AS/BULK	IS	2								
	66151 E232T8IS/MIC/347/N/AS	IS	2								
	59741 E232T8PS347/H/XTRM	PS	2								
	62992 E232T8PS347/N/AS/BULK	PS	2								
	66152 E232T8IS/MIC/347/L/AS/BULK	IS	2								
	60079 E332T8IS347/L/90C/BULK	IS	3								
	61064 E432T8PS347/N/AS/BULK	PS	4								
61066 E432T8PS347/L/AS/BULK	PS	4									

69891 - T8/8W/80/3CCT/24/STD/SMX
 69892 - T8/11W/80/3CCT/36/STD/SMX
 69893 - T8/13W/80/3CCT/48/STD/SMX

69894 - T8/10W/80/3CCT/48/STD
 69895 - T8/13W/80/3CCT/48/STD

Other brands: 347 V

Ballast Description				1 Lamp Load		2 Lamps Load		3 Lamps Load		4 Lamps Load	
Brand	Part Number	Start Method	Number of lamps	Input Voltage							
				347V	480V	347V	480V	347V	480V	347V	480V
Advance	GOPA-4P32-LW-SC	IS	4								
	GOPA-3P32-LW-SC	IS	2								
	GOPA-4P32-SC	IS	4								
OSRAM	QHE 4*32T8/347 ISN-SC	IS	4								
	QHE1X32T8/347 ISN-SC	IS	1								
	QHE1X32T8/347 ISL-SC	IS	1								
	QHE2X32T8/347 ISL-SC	IS	2								
	QHE2X32T8/347 ISN-SC	IS	2								
	QHE3X32T8/347 ISN-SC	IS	3								
Fusion	FB232347E-HE	IS	2								
	FB232347E-L	IS	2								
	FB232347E-PPS-HE	PS	2								
	FB432347E-HE	IS	4								
	FB432347E-L	IS	4								
	FB432347E-PPS-HE	PS	4								
GE	GE432PS347-N	PS	4								
	GE232MAX347-H	IS	2								
	GE332MAX347-H	IS	3								
	GE332MAX347-H	IS	3								
Ultrasave	GE232PS347-N	IS	2								
	MR232347	IS	2								
Universal	B232I347HE-A	IS	2								
	B432I347HE-A	IS	4								
SYMBAN	SLFE-432T8-347V	IS	4								

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

■ compatible ■ non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



Standard: 347 V (1/2)

69295 - T8/S5/8W/840/24/STD
 69303 - T8/S5/8W/830/24/STD/SMX
 69304 - T8/S5/8W/835/24/STD/SMX

Ballast Description				1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast Version
Brand	Order code	Starting Method	Number of lamps	Input Voltage				
				347 V	347 V	347V	347 V	
Standard	10294 E432T8IS347/N	IS	4					
	56603 E432T8IS347/L/BULK	IS	4					
	59771 E432T8IS347/H/90C	IS	4					
	61066 E432T8PS347/L/AS/BULK	PS	4					
	61064 E432T8PS347/N/AS/BULK	PS	4					
	66150 E232T8IS/MIC/347/N/AS	IS	2					
	66151 E232T8IS/MIC/347/N/AS/BULK	IS	2					
	56557 E132T8IS347/L/BULK	IS	1					
	62992 E232T8PS347/N/AS/BULK	PS	2					
	59741 E232T8PS347/H/XTRM	PS	2					
	66152 E232T8IS/MIC/L/AS/BULK	IS	2					
	60076 E232T8IS347/H/90C	IS	2					
	60079 E332T8IS347/L/90C/BULK	IS	3					

69296 - T8/S5/10W/840/36/STD
 69305 - T8/S5/10W/835/36/STD/SMX
 69306 - T8/S5/10W/840/36/STD/SMX

Ballast Description				1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast Version
Brand	Order code	Starting Method	Number of lamps	Input Voltage				
				347 V	347 V	347V	347 V	
Standard	10294 E432T8IS347/N	IS	4					
	56603 E432T8IS347/L/BULK	IS	4					
	59771 E432T8IS347/H/90C	IS	4					
	61066 E432T8PS347/L/AS/BULK	PS	4					
	61064 E432T8PS347/N/AS/BULK	PS	4					
	66150 E232T8IS/MIC/347/N/AS	IS	2					
	66151 E232T8IS/MIC/347/N/AS/BULK	IS	2					
	56557 E132T8IS347/L/BULK	IS	1					
	62992 E232T8PS347/N/AS/BULK	PS	2					
	59741 E232T8PS347/H/XTRM	PS	2					
	66152 E232T8IS/MIC/L/AS/BULK	IS	2					
	60076 E232T8IS347/H/90C	IS	2					
	60079 E332T8IS347/L/90C/BULK	IS	3					

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



Standard: 347V (2/2)

69297 - T8/S5/11W/835/48/STD
 69298 - T8/S5/11W/840/48/STD
 69299 - T8/S5/11W/850/48/STD
 69307 - T8/S5/11W/830/48/STD/SMX
 69308 - T8/S5/11W/835/48/STD/SMX
 69309 - T8/S5/11W/840/48/STD/SMX
 69310 - T8/S5/11W/850/48/STD/SMX

Ballast Description				1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast Version
Brand	Order code	Starting Method	Number of lamps	Input Voltage				
				347 V	347 V	347V	347 V	
Standard	10294 E432T8IS347/N	IS	4					
	56603 E432T8IS347/L/BULK	IS	4					
	59771 E432T8IS347/H/90C	IS	4					
	61066 E432T8PS347/L/AS/BULK	PS	4					
	61064 E432T8PS347/N/AS/BULK	PS	4					
	66150 E232T8IS/MIC/347/N/AS	IS	2					
	66151 E232T8IS/MIC/347/N/AS/BULK	IS	2					
	56557 E132T8IS347/L/BULK	IS	1					
	62992 E232T8PS347/N/AS/BULK	PS	2					
	59741 E232T8PS347/H/XTRM	PS	2					
	66152 E232T8IS/MIC/L/AS/BULK	IS	2					
	60076 E232T8IS347/H/90C	IS	2					
	60079 E332T8IS347/L/90C/BULK	IS	3					

69300 - T8/S5/14W/835/48/STD
 69301 - T8/S5/14W/840/48/STD
 69302 - T8/S5/14W/850/48/STD
 69311 - T8/S5/14W/830/48/STD/SMX
 69312 - T8/S5/14W/835/48/STD/SMX
 69313 - T8/S5/14W/840/48/STD/SMX
 69314 - T8/S5/14W/850/48/STD/SMX

Ballast Description				1 Lamp	2 Lamps	3 Lamps	4 Lamps	Ballast Version
Brand	Order code	Starting Method	Number of lamps	Input Voltage				
				347 V	347 V	347V	347 V	
Standard	10294 E432T8IS347/N	IS	4					
	56603 E432T8IS347/L/BULK	IS	4					
	59771 E432T8IS347/H/90C	IS	4					
	61066 E432T8PS347/L/AS/BULK	PS	4					
	61064 E432T8PS347/N/AS/BULK	PS	4					
	66150 E232T8IS/MIC/347/N/AS	IS	2					
	66151 E232T8IS/MIC/347/N/AS/BULK	IS	2					
	56557 E132T8IS347/L/BULK	IS	1					
	62992 E232T8PS347/N/AS/BULK	PS	2					
	59741 E232T8PS347/H/XTRM	PS	2					
	66152 E232T8IS/MIC/L/AS/BULK	IS	2					
	60076 E232T8IS347/H/90C	IS	2					
	60079 E332T8IS347/L/90C/BULK	IS	3					

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



Order code	Description	Order code	Description	Order code	Description
69295	T8/S5/8W/840/24/STD	69302	T8/S5/14W/850/48/STD	69309	T8/S5/11W/840/48/STD/SMX
69296	T8/S5/10W/840/36/STD	69303	T8/S5/8W/830/24/STD/SMX	69310	T8/S5/11W/850/48/STD/SMX
69297	T8/S5/11W/835/48/STD	69304	T8/S5/8W/835/24/STD/SMX	69311	T8/S5/14W/830/48/STD/SMX
69298	T8/S5/11W/840/48/STD	69305	T8/S5/10W/835/36/STD/SMX	69312	T8/S5/14W/835/48/STD/SMX
69299	T8/S5/11W/850/48/STD	69306	T8/S5/10W/840/36/STD/SMX	69313	T8/S5/14W/840/48/STD/SMX
69300	T8/S5/14W/835/48/STD	69307	T8/S5/11W/830/48/STD/SMX	69314	T8/S5/14W/850/48/STD/SMX
69301	T8/S5/14W/840/48/STD	69308	T8/S5/11W/835/48/STD/SMX		

Other brands: 120/277 V (1/4)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Starting Method	Number of lamps	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Act	ACT 2P32ISUNVE	IS	2	Compatible	Compatible							
Antron I Electronics	A32T8MICLO	IS	2	Compatible	Compatible							
Arcata	ACT 3P32ISUNVLE	IS	3					Compatible	Compatible			
Cooper Lighting	CL-432ISUNV-R1-B	IS	4							Compatible	Compatible	
Eiko	PM-2X32T8-UNV-IS-L	IS	2	Compatible	Compatible							
	PM-2X32T8-UNV-IS	IS	2	Compatible	Compatible							
Espen	VE232MVHIPE	IS	2	Compatible	Compatible							
	VE232MVHIPL	IS	2	Compatible	Compatible							
General Electric	GE-232-MV-N	IS	2	Compatible	Compatible							
	GE232MAX-N/ULTRA	IS	2	Compatible	Compatible							
	GE432MAX-H/ULTRA	IS	4					Compatible	Compatible	Compatible	Compatible	
	GE432MAX-L/ULTRA	IS	4					Compatible	Compatible	Compatible	Compatible	
	GE432MAX-G-N	IS	4					Compatible	Compatible	Compatible	Compatible	
	GE132MAXP-N/ULTRA	IS	1			Compatible	Compatible					
	GE232MV-N-DIY	IS	2	Compatible	Compatible							
	GE332MV-N	IS	3					Compatible	Compatible			
	GE332MAX-N/ULTRA	IS	3					Compatible	Compatible			
	GE332MAX-L/ULTRA	IS	3					Compatible	Compatible			
	GE332MAX-G-N	IS	3					Compatible	Compatible			
	GE432-120-RES	IS	4					Compatible	Compatible	Compatible	Compatible	
	GE432MAX-N/ULTRA	IS	4					Compatible	Compatible	Compatible	Compatible	
	GE332MAXP-L/ULTRA	IS	3					Compatible	Compatible			
GE232MAX-G-N	IS	2	Compatible	Compatible								
GE-232-MV-PS-N	PS	2										
Halco	EP232IS/MV/HE	IS	2	Compatible	Compatible							
	EP332IS/MV/HE	IS	3					Compatible	Compatible			
	EP432IS/L/MV/HE	IS	4					Compatible	Compatible	Compatible	Compatible	
	EP232IS/L/MV/HE	IS	2	Compatible	Compatible							
	EP332IS/L/MV/HE	IS	3					Compatible	Compatible			
	EP432IS/120/MC	IS	4					Compatible	Compatible	Compatible	Compatible	
Hatch	HL232BIS/UV/HE/W	IS	2	Compatible	Compatible							
	HL432BIS/UV/HE/W	IS	4					Compatible	Compatible	Compatible	Compatible	
Howard Industries	EP3/32IS/MV/SC/HE	IS	3					Compatible	Compatible			
	EPL4/32IS/MV/MC/HE	IS	4					Compatible	Compatible	Compatible	Compatible	
	E2/32IS-120MC	IS	2	Compatible	Compatible							
	EPL2/32IS/MV/MC/HE	IS	2	Compatible	Compatible							
	EPL3/32IS/MV/SC/HE	IS	3					Compatible	Compatible			
	EP4/32IS/MV/MC/HE	IS	4					Compatible	Compatible	Compatible	Compatible	
	EP2/32IS/MV/MC/HE	IS	2	Compatible	Compatible							
	EP3/32IS/MV/MC/HE	IS	3					Compatible	Compatible			
	EPH3/32IS/MV/MC/HE	IS	3					Compatible	Compatible			
EP4/32PPRS/MV/SC/HE	PRS	4					Compatible	Compatible	Compatible	Compatible		

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

■ compatible ■ non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



Other brands: 120/277 V (2/4)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Starting Method	Number of lamps	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
KEYSTONE	KTEB-432RIS-1-TP-SL	IS	4									
	KTEB-332-UV-IS-N-P	IS	3									
	KTEB-232LBF-1-TP-PIC-EV	IS	2									
	KTEB-432-UV-PS-N-P	PS	4									
	KTEB-232-UV-PS-L-P	PS	2									
LIGHTING PRODUCTS LIMITED	EB-332EBF-UV-TP-HE	IS	3									
MAXLITE	SKEU322HEL/SC	IS	2									
	SKEU324HE/SC	IS	4									
	SKEU323L/SC	IS	3									
	MLEU322HEL/SC	IS	2									
OSRAM SYLVANIA	QTP 2X32T8/UNV ISN-SC	IS	2									
	QHE 2X32T8/UNV ISN-SC	IS	2									
	QHE 2X32T8/UNV ISL-SC	IS	2									
	QHE 4X32T8/UNV ISN-SC	IS	4									
	QHE 4X32T8/UNV ISL-SC	IS	4									
	QHE 1X32T8/UNV ISN-SC	IS	1									
	QHE 1X32T8/UNV ISL-SC	IS	1									
	QTP 3X32T8/UNV ISN-SC	IS	3									
	QHE 3X32T8/UNV ISN-SC	IS	4									
	QHE 3X32T8/UNV ISL-SC	IS	3									
	QTP2x32T8/277 ISN-D	IS	2									
	QTP 2X32T8/UNV ISL-SC	IS	2									
	QHE 1X32T8/UNV ISH-SC	IS	1									
	QHE 2X32T8/UNV PSH-HT	PRS	2									
	QHE 2X32T8/UNV PSN-MC	PRS	2									
QHE 4X32T8/UNV PSN-SC	PRS	4										
Pacific Fluorescent	EB-232IS-120-RES	IS	2									
	IOPA-2P32-N	IS	2									
Philips-Advance	IOP-2P32-LW-N	IS	2									
	IOP-4P32-N	IS	4									
	IOP-4P32-LW-N	IS	4									
	IOP-1P32-N	IS	1									
	REB-4P32-SC	IS	4									
	VEL-2P32-SC	IS	2									
	IOPA-4P32-SC	IS	4									
	ICN-132-MC	IS	1									
	ICN-3P32-SC	IS	3									
	VEL-3P32-SC	IS	3									
	IOPA-2P32-LW-N	IS	2									
	IOP-1P32-LW-N	IS	1									
	IOP-1P32-SC	IS	1									
	IOP-1P32-LW-SC	IS	1									
	IOP-2PSP32-SC	PS	2									
	IOP-3PSP32-SC	PS	3									
	IOP-4PSP32-SC	PS	4									
	IOP-4PSP32-LW-SC	PS	4									

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

compatible non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



Other brands: 120/277 V (3/4)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Starting Method	Number of lamps	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
PLUSRITE	BAF232IS/MV	IS	2	Compatible	Compatible							
	BAF332IS/MV	IS	3			Compatible	Compatible					
	BAF332IS/MV/L	IS	3			Compatible	Compatible					
	BAF432IS/MV	IS	4					Compatible	Compatible	Compatible	Compatible	
	BAF432IS/MV/L	IS	4					Compatible	Compatible	Compatible	Compatible	
ProLume	EP232IS/L/MV/SL	IS	2	Compatible	Compatible							
	E432IS/120/R/SL	IS	4					Compatible		Compatible		
SOLA	E-758-U-232-MC	IS	2	Compatible	Compatible							
SUNPARK	120-1/32IS HPF	IS	1	Compatible								
	U-2/32ISE-LBF	IS	2	Compatible	Compatible							
	U-3/32ISE	IS	3			Compatible	Compatible	Compatible	Compatible			
	120-3/32IS MPF	IS	3			Compatible		Compatible				
	U-4/32IS HPF	IS	4					Compatible	Compatible	Compatible	Compatible	
	U-4/32ISE-LBF	IS	4					Compatible	Compatible	Compatible	Compatible	
	U-1/32PSE	PS	1	Compatible	Compatible							
	SL15T	RS	2			Compatible						
LC 12013T	PS	1	Compatible									
Superior Life	70210	PS	2	Compatible	Compatible							
	70211	PS	4					Compatible	Compatible	Compatible	Compatible	
SYLVANIA	QT 3x32/277 IS	IS	3			Compatible	Compatible					
TCP	E3P32ISUNVE	IS	3			Compatible	Compatible	Compatible	Compatible			
	E4P32ISUNVE	IS	4					Compatible	Compatible	Compatible	Compatible	
Universal Lighting Technologies	B232IUNVHP-N	IS	2	Compatible	Compatible							
	B232IUNVEL-A	IS	2	Compatible	Compatible							
	B233IUNVHE-A	IS	2	Compatible	Compatible							
	B432IUNVHE L-A	IS	4					Compatible	Compatible	Compatible	Compatible	
	B332IUNVHP-A	IS	3			Compatible	Compatible	Compatible	Compatible			
	B432IUNVHP-A	IS	4					Compatible	Compatible	Compatible	Compatible	
	B232I120RES-A	IS	2	Compatible		Compatible						
	B232IUNVHP-B	IS	2	Compatible	Compatible							
	B432IUNVHE-A	IS	4					Compatible	Compatible	Compatible	Compatible	
	B432IUNVHEH-E	IS	4					Compatible	Compatible	Compatible	Compatible	
	B232I277RH-A	IS	4						Compatible		Compatible	
	B132IUNVEL-A	IS	1	Compatible	Compatible							
	B432PUNVHE-A	PS	4					Compatible	Compatible	Compatible	Compatible	
	B232PUNVHE-B	PS	2	Compatible	Compatible							
	B332PUNVHE-A	PS	3			Compatible	Compatible	Compatible	Compatible			
	B232SR277S30	RS	2				Compatible					

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

■ compatible
 ■ non-compatible
 N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative

LED T8 Type A lamps Ballast Compatibility List



Other brands: 120/277 V (4/4)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		Ballast version
Brand	Order code	Starting Method	Number of lamps	Input Voltage								
				120 V	277 V	120 V	277 V	120 V	277 V	120 V	277 V	
Watran	DB-232N-MV-TP-HE	IS	2									
	DB-332N-MV-TP-HE	IS	3									
	DB-432N-MV-TP-HE	IS	4									
	DB-432L-MV-TP-HE	IS	4									
	DB-232N-MV-TP-HE SC	IS	2									
WORK HORSE	WHS63-UNV-T8-IS	IS	3									
	WHS64-UNV-T8-IS	IS	4									

Other brands: 347/480 V - Compatible with all T8 SKUS (69295 - 69314)

Ballast Description				1 Lamp		2 Lamps		3 Lamps		4 Lamps		
Brand	Order code	Starting Method	Number of lamps	Input Voltage								
				347 V	480 V	347V	480 V	347 V	480 V	347 V	480 V	
General Electric	GE232MAX-G-347	IS	2									
	GE432MAX347-N	IS	4									
OSRAM	QHE 2x32T8/347 PSN-SC	PRS	2									
OSRAM SYLVANIA	QT 2x32/347 ISH-SC	IS	2									
SYLVANIA	QT 4X32/347LP	IS	4									
Universal Lighting Technologies	B432I347HE-A	IS	4									

Dimming ballast - Compatible with all T8 SKUS (69295 - 69314)

Ballast Description				BF		Lamp Connection	Dimming depth	
Brand	Order code	Starting Method	Number of lamps	Type	Value		N-1Lamp	NLamp
				Advance	REZ-2S32-SC	PS	2	
General Electric	GE132MVPSN-V03	DPS	1	N	0.88	N/A	14 %	
KEYSTONE	KTLD-2T8LED-UV-IS-VDIM	DPS	2	N	1.18	N/A	16.40 %	

Emergency ballast - Compatible with all 5 3 CCT Selectable skus (69891 - 69895)

No	Ballast No.	Ballast Brand	Part Number
1	172	IOTA	ISL-540 TBTS SERIES D - EMERGENCY LIGHTING EQUIPMENT
2	173	KEYSTONE	KT-EMRG-500 EMERGENCY LIGHTING EQUIPMENT
3	174	PHILIPS	bodine B50 EMERGENCY LIGHTING EQUIPMENT

Emergency ballast - Compatible with all T8 SKUS (69295 - 69314)

No	Ballast No.	Ballast Brand	Part Number	Start Method	# of Lamps	N-Lamp
1	402	EXITRONIX	XEB-7-B-LM	AC	1	Can work with these Emergency Ballast
2	416	KEYSTONE	KT-EMRG-1300-T5	AC	1	
3	419	BODINE	B50	AC	2	
4	420	ESPEN	VEM500DV(L)	AC	1	
5	422	ESPEN	VEM1300DV(L)	AC	1	
6	424	TAMLITE	BAL1400LPACTD	AC	1	

Ballasts test are performed with a specific manufacturing date code. Older ballasts, with the same model numbers may have different electronic designs and consequently compatibility may vary. Similarly, newer ballast, with the same model number, may have undergone revisions that may affect compatibility. Compatibility may also extend beyond this list and Stanpro recommends testing a few fixtures with the ballast compatible lamps, even if the ballast is on this compatibility list, to ensure compatibility and performance.

■ compatible ■ non-compatible N/A

To validate compatibility with ballasts that are not on this list, please contact your sales representative