

MULTI-MOUNT EDGELIT LED CEILING LUMINAIRE 3 CCT SELECTABLE Surface Or Suspended

Minimalist and versatile, our Multi-Mount EDGELIT LED Ceiling luminaire blends modern simplicity with well thought-out features. This luminaire is an ideal lighting solution for both commercial and decorative residential applications.



■ Color Selectable

With an integrated 3 color temperature selection (3 000/3 500/4 000 K), our Multi-Mount EDGELIT LED Ceiling Luminaire is a versatile solution that allows to choose the color temperature that is right for the designated application.



■ Versatile lighting solution

Honoring its name, this luminaire stands out by the mounting versatility it provides - install it flush mounted or suspended when used with the adjustable stem kit, available as accessory.

■ Accentuate any space

Available in black or white finish, this luminaire has a minimalist look that is perfect for any commercial or residential decorative applications such as kitchens, offices, living rooms and more!

More than a simple EDGELIT!



- The CCT switch is placed on the back of the luminaire

- Slim luminaire with 1" profile




- Easy twist-lock installation

- Available in 16"

- Polycarbonate housing in white and black finish

Mounting versatility

Enjoy this versatile luminaire mounted in 3 distinct ways – whether it be flush mounted (standard) or, semi-flush and pendant mounted (when used with the stem kit), the Multi-Mount EDGELIT series has the flexibility to complement any application.




Compatible stem suspension kit available!

Available in black or white finish, our compatible stem kit offers 5 connectible stems for an adjustable suspended installation going from 6" (15 cm) length up to 53" 1/8 (135 cm).

Stem kit content




Canopy - 1 unit



Mounting bracket - 1 unit




Stem lengths:
6" (15 cm) - 1 unit
12" (30 cm) - 4 units




Hardware bag - 1 unit


Easy Assembly



1 - Screw in the stems to fit the desired suspension length



2 - Place the mounting bracket at the bottom of the stem and secure the bracket with the M10 nut



3 - Twist-lock to secure the luminaire to the mounting bracket

Summary Specification Table

Order code	Model number	Watts (W)	Volts (VAC)	Color temp. (K) ¹	Lumen output (lm) ^{2,3}	Efficacy (lm/W)	CRI	Life L70 (hrs) ⁴	Beam angle (°)	Shape	Finish	Dimming (Yes/No)	Power factor ≥0.90	Master case qty 10
3 CCT Selectable														
16"														
69183	CLEG16-R30W-A-3CWH	30	120	3 000/3 500/4 000	2 120	71	80+	50 000	120	Round	White	Yes	≥0.90	10
69184	CLEG16-R30W-A-3CBK	30	120	3 000/3 500/4 000	2 120	71	80+	50 000	120	Round	Black	Yes	≥0.90	10

¹ Typical color temperature range: +/- 5 %.

² Lumen values are derived from Energy Star reported data. Initial lumens range: +/- 10 %.

³ Life hours are derived from IESNA LM-80-08 testing report and projected per IESNA TM-21-11 extrapolations.

Compatible accessories

Order code	Model number	Type	Finish	Length (in)	Compatible with	Master case qty	Figure
69185	4.4FT STEM SUSP. KIT FOR CLEG16 WHITE	Stem suspension kit - adjustable length	White	6 - 53 1/8	69183	10	A
69186	4.4FT STEM SUSP. KIT FOR CLEG16 BLACK	Stem suspension kit - adjustable length	Black	6 - 53 1/8	69184	10	B

¹ Includes mounting bracket, canopy, stem and wires assembly and, hardware bag.

